

Product Datasheet

CD39/ENTPD1 Antibody (AC2.5) - Azide and BSA Free DDX0321P-100

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/DDX0321P-100

Updated 2/21/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/DDX0321P-100



DDX0321P-100

CD39/ENTPD1 Antibody (AC2.5) - Azide and BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	AC2.5
Preservative	No Preservative
Isotype	IgG1
Purity	Ion exchange chromatography
Buffer	Tris-NaCl (pH 8.0)

Product Description	
Host	Mouse
Gene ID	953
Gene Symbol	ENTPD1
Species	Human
Reactivity Notes	human
Immunogen	CD39
Notes	This product is manufactured by Eurobio Scientific (formerly Dendritics) and distributed by Novus Biologicals.

Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation
Recommended Dilutions	Western Blot 1:100-1:2000, Flow Cytometry 1:10-1:1000, Immunohistochemistry, Immunoprecipitation 1:10-1:500, Immunohistochemistry-Frozen

Images

Flow Cytometry: CD39/ENTPD1 Antibody (AC2.5) [DDX0321P-100]




Fig. 1. A GC phenotype is induced by stimulating resting B cells with anti-CD40, anti-CD40L and anti-IgM. IgD⁺CD38⁺ transiter B cells (S1) were cultured on CD39-transfected fibroblasts together with (A) anti-CD40 and anti-IgM or (B) anti-CD40, anti-CD40L and anti-IgM. After 4 days of culture, the cells were stained with anti-CD39-FTTC and CD39⁺ cells gated for further analysis with anti-CD71, CD77, CD95, CD38, CD39L, CD71, CD77 and CD95-RPE respectively. Data represents two experiments and is presented as histograms for each marker.

Publications

Dahlenborg K et al. Signals sustaining human immunoglobulin V gene hypermutation in isolated germinal centre B cells. *Immunology* 2000-10-01 [PMID: 11012774]

Ingvarsson S et al. Co-ligation of CD44 on naive human tonsillar B cells induces progression towards a germinal center phenotype. *Int Immunol* 1999-05-01 [PMID: 10330279]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to DDX0321P-100

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP1-90071PEP	CD39/ENTPD1 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/DDX0321P-100

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

