# **Product Datasheet**

# Carboxypeptidase M Antibody (M27) - Azide and BSA Free DDX0520P-100

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 2** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/DDX0520P-100

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/DDX0520P-100



# DDX0520P-100

Carboxypeptidase M Antibody (M27) - Azide and BSA Free


Carboxypeptidase M Antibody (M27) - Azide and BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	M27
Preservative	No Preservative
Isotype	lgG1
Purity	Ion exchange chromatography
Buffer	Tris-NaCl (pH 8.0)
Product Description	
Host	Mouse
Gene ID	1368
Gene Symbol	СРМ
Species	Human
Immunogen	Carboxypeptidase M was used as immunogen.
Notes	This product is manufactured by Eurobio Scientific (formerly Dendritics) and distributed by Novus Biologicals.
Product Application Details	
Applications	Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation
Recommended Dilutions	Flow Cytometry 1:10-1:1000, Immunohistochemistry 1:10-1:500,

Immunoprecipitation 1:10-1:500, Immunohistochemistry-Frozen 1:10-1:500




#### **Images**

Flow Cytometry: Carboxypeptidase M Antibody (M27) [DDX0520P-100] - FITC-M27 expression on leukaemia B lymphoid precursors



Flow Cytometry: Carboxypeptidase M Antibody (M27) [DDX0520P-100] - FITC-M27 expression on normal B lymphoid precursors



#### **Publications**

Galibert L et al. CD40 and B cell antigen receptor dual triggering of resting B lymphocytes turns on a partial germinal center phenotype. J Exp Med 1996-01-01 [PMID: 8551247]

de Saint Vis B et al. Distribution of carboxypeptidase M on lymphoid and myeloid cells parallels the other zincdependent proteases CD10 and CD13. Blood 1995-08-01 [PMID: 7620164]





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to DDX0520P-100**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP1-87403PEP Carboxypeptidase M Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/DDX0520P-100

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

