# **Product Datasheet**

## IL-7R alpha/CD127 Antibody (R34-34) - Azide and BSA Free DDX0700P-100

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 40** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/DDX0700P-100

Updated 2/21/2025 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/DDX0700P-100



## DDX0700P-100


IL-7R alpha/CD127 Antibody (R34-34) - Azide and BSA Free

| TE-TR alpha/ODT27 Antibody (104-04) - Azide and DOA Tree |  |
|--|--|
| Product Information                                      |  |
| Unit Size  | 0.1 mg   |
| Concentration  | 0.5 mg/ml  |
| Storage  | Store at -20C. Avoid freeze-thaw cycles.   |
| Clonality  | Monoclonal   |
| Clone  | R34-34   |
| Preservative   | No Preservative  |
| Isotype  | IgG1   |
| Purity   | Ion exchange chromatography  |
| Buffer   | Tris-NaCl (pH 8.0)   |
| Product Description                                      |  |
| Host   | Mouse  |
| Gene ID  | 3575   |
| Gene Symbol  | IL7R   |
| Species  | Human, Canine  |
| Immunogen  | IL7R Alpha/CD127 was used as immunogen.  |
| Notes  | This product is manufactured by Eurobio Scientific (formerly Dendritics) and distributed by Novus Biologicals. |
| Product Application Details                              |  |
| Applications   | Flow Cytometry, Immunoprecipitation, Block/Neutralize  |
| Recommended Dilutions                                    | Flow Cytometry 1:10-1:1000, Immunoprecipitation 1:10-1:500, Block/Neutralize                                   |
|  |  |

www.novusbio.com









#### **Publications**

Faller EM et al. IL-7 receptor recovery on CD8 T-cells isolated from HIV+ patients is inhibited by the HIV Tat protein. PLoS One 2014-07-17 [PMID: 25033393]

Larbi et al. Generation of multipotent early lymphoid progenitors from human embryonic stem cells. Stem Cells Dev 2014-12-15 [PMID: 24955741]

Munneke JM et al. Activated innate lymphoid cells are associated with a reduced susceptibility to graft-versus-host disease. Blood 2014-07-31 [PMID: 24855210]

Forsberg A et al. GATA binding protein 3+ group 2 innate lymphoid cells are present in cord blood and in higher proportions in male than in female neonates. J Allergy Clin Immunol 2014-07-01 [PMID: 24636083]

Peguillet I et al. High numbers of differentiated effector CD4 T cells are found in patients with cancer and correlate with clinical response after neoadjuvant therapy of breast cancer. Cancer Res 2014-04-15 [PMID: 24535711]

Sereti I et al. Decreases in Colonic and Systemic Inflammation inChronic HIV Infection after IL-7 Administration. PLoS Pathog 2014-01-30 [PMID: 24497828]

Compeer EB et al. Tubulation of endosomal structures in human dendritic cells by Toll-like receptor ligation and lymphocyte contact accompanies antigen cross-presentation. J Biol Chem 2014-01-03 [PMID: 24235148]

Yu X et al. TNF superfamily member TL1A elicits type 2 innate lymphoid cells at mucosal barriers. Mucosal Immunol 2014-05-01 [PMID: 24220298]

Lozza L et al. Crosstalk between human DC subsets promotes antibacterial activity and CD8+ T-cell stimulation in response to bacille Calmette-Guerin. Eur J Immunol 2014-01-01 [PMID: 24114554]

Ponchel F et al. An immunological biomarker to predict MTX response in early RA. Ann Rheum Dis 2014-11-01 [PMID: 23989988]

Bernink JH et al. Human type 1 innate lymphoid cells accumulate in inflamed mucosal tissues. Nat Immunol 2013-03-01 [PMID: 23334791]

Luckashenak N et al. Rho-family GTPase Cdc42 controls migration of Langerhans cells in vivo. J Immunol 2013-01-01 [PMID: 23209325]

More publications at <a href="http://www.novusbio.com/DDX0700P-100">http://www.novusbio.com/DDX0700P-100</a>





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to DDX0700P-100

| NBP3-21313PEP    | IL-7R alpha/CD127 Recombinant Protein Antigen           |
|------------------|---|
| NBP1-97005-0.5mg | Mouse IgG1 Isotype Control (MG1)                        |
| NB720-B          | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| HAF007           | Goat anti-Mouse IgG Secondary Antibody [HRP]            |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/DDX0700P-100

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

