# **Product Datasheet**

# TER-119 Antibody (TER-119) [Allophycocyanin/Cy7] FAB1125APCCY7

Unit Size: 0.5 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB1125APCCY7

Updated 7/29/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/FAB1125APCCY7



# FAB1125APCCY7

| TER-119 Antibody (TER-119) [Allophycocyanin/Cy7]   |  |
|--|--|
|  |  |
| 0.5 ml   |  |
| Please see the vial label for concentration. If unlisted please contact technical services.  |  |
| Store at 4C in the dark. Do not freeze.  |  |
| Monoclonal   |  |
| TER-119  |  |
| 0.05% Sodium Azide   |  |
| lgG2b  |  |
| Allophycocyanin/Cy7  |  |
| Protein A or G purified from hybridoma culture supernatant   |  |
| PBS  |  |
| Product Description  |  |
| Rat  |  |
| 104231   |  |
| Ly76   |  |
| Mouse  |  |
| Detects mouse TER□119 in Western blots. This antibody has been shown to react with cells of the erythroid lineage in embryonic yolk sac, fetal liver, adult bone marrow, adult peripheral blood, and adult lymphoid organs (Ikuta, K. <i>et al.</i> (1990) Cell <b>62</b> :863). TER-119 Antigen is a molecule associated with cell-surface glycophorin A (Kina, T. <i>et al.</i> (2000) Br. J. Haematol. <b>109</b> :280). The antibody has been shown to react with erythroid cells at differentiation stages from early proerythroblast to mature erythrocyte (Kina, T. <i>et al.</i> (2000) Br. J. Haematol. <b>109</b> :280). |  |
| C57BL/6 mouse day-14 fetal liver cells   |  |
|  |  |
| Flow Cytometry   |  |
| Flow Cytometry   |  |
| Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any questions.   |  |
|  |  |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to FAB1125APCCY7**

255-SC-010 SCF/c-kit Ligand [Unconjugated]

AF835 Caspase-3 Antibody [Unconjugated] - Active

NB110-89474 CD11b Antibody - BSA Free

AF1356 CD117/c-kit Antibody [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB1125APCCY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

