

Product Datasheet

TER-119 Antibody (TER-119) [PerCP] FAB1125C

Unit Size: 0.5 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/FAB1125C

Updated 7/29/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/FAB1125C



FAB1125C**TER-119 Antibody (TER-119) [PerCP]**

| Product Information | |
|------------------------------------|--|
| Unit Size | 0.5 ml |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C in the dark. |
| Clonality | Monoclonal |
| Clone | TER-119 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG2b |
| Conjugate | PerCP |
| Purity | Protein A or G purified from hybridoma culture supernatant |
| Buffer | PBS |
| Product Description | |
| Host | Rat |
| Gene ID | 104231 |
| Gene Symbol | Ly76 |
| Species | Mouse |
| Specificity/Sensitivity | Detects mouse TER-119 in Western blots. This antibody has been shown to react with cells of the erythroid lineage in embryonic yolk sac, fetal liver, adult bone marrow, adult peripheral blood, and adult lymphoid organs (Ikuta, K. <i>et al.</i> (1990) <i>Cell</i> 62 :863). TER-119 Antigen is a molecule associated with cell-surface glycoprotein A (Kina, T. <i>et al.</i> (2000) <i>Br. J. Haematol.</i> 109 :280). The antibody has been shown to react with erythroid cells at differentiation stages from early proerythroblast to mature erythrocyte (Kina, T. <i>et al.</i> (2000) <i>Br. J. Haematol.</i> 109 :280). |
| Immunogen | C57BL/6 mouse day-14 fetal liver cells |
| Product Application Details | |
| Applications | Western Blot, Flow Cytometry, Immunohistochemistry, Immunoprecipitation, CyTOF-reported |
| Recommended Dilutions | Western Blot, Flow Cytometry, Immunohistochemistry, Immunoprecipitation, CyTOF-reported |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. |





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to FAB1125C

| | |
|-------------|--|
| 255-SC-010 | SCF/c-kit Ligand [Unconjugated] |
| AF835 | Caspase-3 Antibody [Unconjugated] - Active |
| NB110-89474 | CD11b Antibody - BSA Free |
| AF1356 | CD117/c-kit Antibody [Unconjugated] |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB1125C

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

