Product Datasheet

IL-20R alpha Antibody (173714) [FITC] FAB11762F

Unit Size: 0.5 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB11762F

Updated 8/10/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/FAB11762F



FAB11762F

II -20R alpha Antibody (173714) [FITC]

IL-20R alpha Antibody (173714) [FITC]	
Product Information	
Unit Size	0.5 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	173714
Preservative	0.05% Sodium Azide
Isotype	lgG1
Conjugate	FITC
Purity	Protein A or G purified from hybridoma culture supernatant
Buffer	PBS
Product Description	
i i dadat Boodi iption	
Host	Mouse
•	Mouse 53832
Host	
Host Gene ID	53832
Host Gene ID Gene Symbol	IL20RA Detects human IL-20 Rα in direct ELISAs and Western blots. In Western blots, approximately 5□15% cross□reactivity with recombinant human (rh) IFN-γ R2, rhIL-10 R, rhIL-10 Rβ, rhIL-20 Rβ, and rhIL-22 BP is observed and no cross-reactivity with rhIFN-γ RI, recombinant mouse IL□20 Rα, or rhIL□22 R is
Host Gene ID Gene Symbol Specificity/Sensitivity	IL20RA Detects human IL-20 Rα in direct ELISAs and Western blots. In Western blots, approximately 5□15% cross□reactivity with recombinant human (rh) IFN-γ R2, rhIL-10 R, rhIL-10 Rβ, rhIL-20 Rβ, and rhIL-22 BP is observed and no cross-reactivity with rhIFN-γ RI, recombinant mouse IL□20 Rα, or rhIL□22 R is observed. Mouse myeloma cell line NS0-derived recombinant human IL-20 Rα Val30-Lys250
Host Gene ID Gene Symbol Specificity/Sensitivity Immunogen	IL20RA Detects human IL-20 Rα in direct ELISAs and Western blots. In Western blots, approximately 5□15% cross□reactivity with recombinant human (rh) IFN-γ R2, rhIL-10 R, rhIL-10 Rβ, rhIL-20 Rβ, and rhIL-22 BP is observed and no cross-reactivity with rhIFN-γ RI, recombinant mouse IL□20 Rα, or rhIL□22 R is observed. Mouse myeloma cell line NS0-derived recombinant human IL-20 Rα Val30-Lys250

Product Application Details	
Recommended Dilutions	Western Blot, Flow Cytometry, CyTOF-ready
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB11762F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

