Product Datasheet ACE/CD143 Antibody (230214) [PE/Cy5.5] FAB15131PECY55

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB15131PECY55

Updated 8/4/2024 v.20.1







FAB15131PECY55

ACE/CD143 Antibody (230214) [PE/Cy5.5]

services.StorageStore at 4C in the dark. Do not freeze.ClonalityMonoclonalClone230214Preservative0.05% Sodium AzideIsotypeIgG2aConjugatePE/Cy5.5PurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionIterationHostRatGene ID1636Gene SymbolACESpeciesMouseSpeciesMouseSpeciesMouse acell line NS0-derived recombinant mouse ACE/CD143ImmunogenFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the file		
ConcentrationPlease see the vial label for concentration. If unlisted please contact technic services.StorageStore at 4C in the dark. Do not freeze.ClonalityMonoclonalClone230214Preservative0.05% Sodium AzideIsotypeIgG2aConjugatePE/Cy5.5PurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionRatHostRatGene ID1636Gene SymbolACESpeciesMouseSpeciesMouseSpeciesMouseSpeciesFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradar or decoupling. When staining intracellular targets, specific attention to the for or optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradar or decoupling. When staining intracellular targets, specific attention to the for or permetabilization steps in your flow protocol may be required. Please co	Product Information	
services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 230214 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Host Rat Gene ID 1636 Gene Symbol ACE Species Mouse Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Flow Cytometry Accession # P09470 Product Application Details Applications Flow Cytometry Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fib and permeabilization steps in your flow protocol may be required. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fib and permeabilization steps in your flow protocol may be re	Unit Size	0.1 ml
Clonality Monoclonal Clone 230214 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Host Rat Gene ID 1636 Gene Symbol ACE Species Mouse Species Mouse Species Mouse Species Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Clone230214Preservative0.05% Sodium AzideIsotypeIgG2aConjugatePE/Cy5.5PurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionHostRatGene ID1636Gene SymbolACESpeciesMouseSpeciesMouseSpeciesMouse myeloma cell line NS0-derived recombinant mouse ACE/CD143ImmunogenFlow CytometryProduct Application DetailsFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Storage	Store at 4C in the dark. Do not freeze.
Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Host Rat Gene ID 1636 Gene Symbol ACE Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradar or decoupling. When staining intracellular targets, specific attention to the fib and permeabilization steps in your flow protocol may be required. Please co	Clonality	Monoclonal
Isotype IgG2a Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Host Rat Gene ID 1636 Gene Symbol ACE Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradar or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Clone	230214
Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Protein A or G purified from hybridoma culture supernatant Host Rat Gene ID 1636 Gene Symbol ACE Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradal or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please cool prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradal or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please cool prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradal or decoupling. When staining intracellular targets, specific attend to the fix and permeabilization steps in y	Preservative	0.05% Sodium Azide
Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Rat Host Rat Gene ID 1636 Gene Symbol ACE Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Isotype	IgG2a
Buffer PBS Product Description Rat Host Rat Gene ID 1636 Gene Symbol ACE Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradad or decoupling. When staining intracellular targets, specific attention to the fin and permeabilization steps in your flow protocol may be required. Please co	Conjugate	PE/Cy5.5
Product Description Host Rat Gene ID 1636 Gene Symbol ACE Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradad or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Purity	Protein A or G purified from hybridoma culture supernatant
HostRatGene ID1636Gene SymbolACESpeciesMouseSpecificity/SensitivityDetects mouse ACE/CD143.ImmunogenMouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradad or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Buffer	PBS
Gene ID 1636 Gene Symbol ACE Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradad or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Product Description	
Gene Symbol ACE Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradar or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Host	Rat
Species Mouse Specificity/Sensitivity Detects mouse ACE/CD143. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradad or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Gene ID	1636
Specificity/SensitivityDetects mouse ACE/CD143.ImmunogenMouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradad or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Gene Symbol	ACE
Immunogen Mouse myeloma cell line NS0-derived recombinant mouse ACE/CD143 Leu35-Glu1264 Accession # P09470 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please comparison of the state of the st	Species	Mouse
Leu35-Glu1264 Accession # P09470Product Application DetailsApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Specificity/Sensitivity	Detects mouse ACE/CD143.
ApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please complexed and permeabilization steps in your flow protocol may be required.	Immunogen	Leu35-Glu1264
Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please complexity	Product Application Details	
Application NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradat or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Applications	Flow Cytometry
optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradat or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please co	Recommended Dilutions	Flow Cytometry
questions.	Application Notes	optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to FAB15131PECY55

NBP2-57207PEP	ACE/CD143 Recombinant Protein Antigen
210-TA-005	TNF-alpha [Unconjugated]
DY929	ACE/CD143 [Biotin]
AF933	ACE-2 Antibody [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB15131PECY55

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

