# **Product Datasheet**

# ICOS Antibody (2317C) [PE] FAB1682P

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB1682P

Updated 10/7/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/FAB1682P



### **FAB1682P**

ICOS Antibody (2317C) [PE]

| ICOS Antibody (2317C) [PE]  |  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 0.1 ml   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at 4C in the dark.   |
| Clonality                   | Monoclonal   |
| Clone                       | 2317C  |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG  |
| Conjugate                   | PE   |
| Purity                      | Protein A or G purified from hybridoma culture supernatant                                   |
| Buffer                      | PBS  |
| Product Description         |  |
| Host                        | Rabbit   |
| Gene ID                     | 29851  |
| Species                     | Mouse  |
| Specificity/Sensitivity     | Detects mouse ICOS in direct ELISAs.   |
| Immunogen                   | Chinese Hamster Ovary cell line, CHO-derived mouse ICOS<br>Met1-Leu142<br>Accession # Q9WVS0 |
| Product Application Details |  |
| Applications                | Flow Cytometry, Blockade of Receptor-ligand Interaction, CyTOF-ready                         |
| Recommended Dilutions       | Flow Cytometry, Blockade of Receptor-ligand Interaction, CyTOF-ready                         |
|                             |  |

Optimal dilution of this antibody should be experimentally determined.

## **Images**

**Application Notes** 

ICOS Antibody (2317C) [PE] [FAB1682P] - Vial of PE conjugated antibody. PE has two excitation maxima, 498 nm excited by the Blue laser (488 nm) and 565 nm excited by the Yellow-Green laser (561 nm). Both result in emission at 578 nm.







### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to FAB1682P**

NBP2-24983 Rabbit IgG Isotype Control [PE]

NBP3-21257PEP ICOS Recombinant Protein Antigen

210-TA-005 TNF-alpha [Unconjugated]

DY169 ICOS [Biotin]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB1682P

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

