Product Datasheet

S1P1/EDG-1 Antibody (218713) [PE/Cy5.5] FAB2016PECY55

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB2016PECY55

Updated 7/29/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/FAB2016PECY55



FAB2016PECY55

S1P1/EDG-1 Antibody (218713) [PE/Cy5.5]

Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 218713 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG 1 by flow cytometry. Immunogen NSO mouse myeloma cell line transfected with human S1P1/EDG 1 Met1-Ser382 Accession # P21453 Product Application Details Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fland permeabilization steps in your flow protocol may be required. Please our technical @novusbio.com if you have any	S1P1/EDG-1 Antibody (218713) [PE/Cy5.5]	
Concentration Please see the vial label for concentration. If unlisted please contact techniservices. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 218713 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG□1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG□1 Met1-Ser382 Accession # P21453 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please of our technical support team at technical @novusbio.com if you have any	Product Information	
Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 218713 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG 1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG 1 Met1-Ser382	Unit Size	0.1 ml
Clone 218713 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG 1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG 1 Met1-Ser382 Accession # P21453 Product Application Details Application Notes Flow Cytometry Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please of our technical support team at technical envoyablo.com if you have any	Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Clone 218713 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG 1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG 1 metalogy. Met1-Ser382 Accession # P21453 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the functional permeabilization steps in your flow protocol may be required. Please of our technical support team at technical@novusbio.com if you have any	Storage	Store at 4C in the dark. Do not freeze.
Preservative Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG 1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG 1 met 1-ser382 Accession # P21453 Product Application Details Applications Flow Cytometry Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please of our technical support team at technical@novusbio.com if you have any	Clonality	Monoclonal
Isotype	Clone	218713
Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG 1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG 1 Met1-Ser382	Preservative	0.05% Sodium Azide
Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG□1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG□1 Met1-Ser382 Accession # P21453 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure for extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please cour technical support team at technical @novusbio.com if you have any	Isotype	lgG2b
Buffer PBS Product Description Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG□1 by flow cytometry. Immunogen NSO mouse myeloma cell line transfected with human S1P1/EDG□1 Met1-Ser382 Accession # P21453 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure for extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please cour technical support team at technical@novusbio.com if you have any	Conjugate	PE/Cy5.5
Product Description Host Gene ID Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG□1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG□1 Met1-Ser382	Purity	Protein A or G purified from hybridoma culture supernatant
Host Mouse Gene ID 1901 Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG□1 by flow cytometry. Immunogen NSO mouse myeloma cell line transfected with human S1P1/EDG□1 Met1-Ser382 Accession # P21453 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Buffer	PBS
Gene Symbol S1PR1 Species Human Specificity/Sensitivity Detects human S1P1/EDG□1 by flow cytometry. Immunogen NSO mouse myeloma cell line transfected with human S1P1/EDG□1 Met1-Ser382 Accession # P21453 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure for extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please cour technical support team at technical@novusbio.com if you have any	Product Description	
Gene Symbol Species Human Specificity/Sensitivity Detects human S1P1/EDG 1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG 1 Met1-Ser382 Accession # P21453 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please cour technical support team at technical@novusbio.com if you have any	Host	Mouse
Species Human Specificity/Sensitivity Detects human S1P1/EDG□1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG□1 Met1-Ser382 Accession # P21453 Product Application Details Applications Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Gene ID	1901
Specificity/Sensitivity Detects human S1P1/EDG□1 by flow cytometry. Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG□1 Met1-Ser382 Accession # P21453 Product Application Details Applications Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure for extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please cour technical support team at technical@novusbio.com if you have any	Gene Symbol	S1PR1
Immunogen NS0 mouse myeloma cell line transfected with human S1P1/EDG□1 Met1-Ser382	Species	Human
Met1-Ser382 Accession # P21453 Product Application Details Applications Flow Cytometry Recommended Dilutions Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the finand permeabilization steps in your flow protocol may be required. Please of our technical support team at technical@novusbio.com if you have any	Specificity/Sensitivity	Detects human S1P1/EDG□1 by flow cytometry.
Applications Flow Cytometry Flow Cytometry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please of our technical support team at technical@novusbio.com if you have any	Immunogen	Met1-Ser382
Recommended Dilutions Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Product Application Details	
Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Applications	Flow Cytometry
optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fand permeabilization steps in your flow protocol may be required. Please cour technical support team at technical@novusbio.com if you have any	Recommended Dilutions	Flow Cytometry
	Application Notes	optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to FAB2016PECY55

H00001901-Q01-10ug Recombinant Human S1P1/EDG-1 GST (N-Term) Protein

DVE00 VEGF [HRP]

H00001901-P01-2ug Recombinant Human S1P1/EDG-1 GST (N-Term) Protein

NBP2-22203 ERK1 Antibody (1E5) - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB2016PECY55

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

