## **Product Datasheet**

### Syndecan-1/CD138 Antibody (359103R) [PE/Cy7] FAB2780RPECY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB2780RPECY7

Updated 10/7/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/FAB2780RPECY7



#### FAB2780RPECY7

Syndecan-1/CD138 Antibody (359103R) [PE/Cy7]

services.StorageStore at 4C in the dark. Do not freeze.ClonalityMonoclonalClone359103RPreservative0.05% Sodium AzideIsotypeIgG1ConjugatePE/Cy7PurityProtein A or G purified from cell culture supernatantBufferPBSProduct DescriptionHostRatGene ID6382SpeciesHumanSpecificity/SensitivityDetects human Syndecan-1/VD138 in direct ELISAs.ImmunogenMouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gin18-Glu251 Accession # NP_002988Product Application DetailsFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please can	<i>, , , , , , , , , ,</i>	
Concentration Please see the vial label for concentration. If unlisted please contact techniservices.   Storage Store at 4C in the dark. Do not freeze.   Clonality Monoclonal   Clone 359103R   Preservative 0.05% Sodium Azide   Isotype IgG1   Conjugate PE/Cy7   Purity Protein A or G purified from cell culture supernatant   Buffer PBS   Product Description Rat   Host Rat   Gene ID 6382   Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988   Product Application Details Flow Cytometry   Applications Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrads or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may	Product Information	
services.   Storage Store at 4C in the dark. Do not freeze.   Clonality Monoclonal   Clone 359103R   Preservative 0.05% Sodium Azide   Isotype IgG1   Conjugate PE/Cy7   Purity Protein A or G purified from cell culture supernatant   Buffer PBS   Product Description Rat   Gene ID 6382   Species Human   Species Human   Species Human   Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NSO-derived recombinant human Syndecan-1/CD GIn18-GIu251 Accession # NP_002988   Product Application Details Flow Cytometry   Applications Flow Cytometry   Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the fan and permeabilization steps in your flow protocol may be required. Please can dead to irreversible	Unit Size	0.1 ml
Clonality Monoclonal   Clone 359103R   Preservative 0.05% Sodium Azide   Isotype IgG1   Conjugate PE/Cy7   Purity Protein A or G purified from cell culture supernatant   Buffer PBS   Product Description Host   Host Rat   Gene ID 6382   Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gin18-Glu251 Accession # NP_002988   Product Application Details Flow Cytometry   Applications Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fa and permeabilization steps in your flow protocol may be required. Please or decoupling. When staining intracellular targets, specific attention to the fa and permeabilization steps in your flow protocol may be required. Please or decoupling. When staining intracellular targets, specific attention to the fa and permeabilization steps in your flow protocol may be required. Please or decoupling. When staining intracellular targets, specific attention to	Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Clone359103RPreservative0.05% Sodium AzideIsotypeIgG1ConjugatePE/Cy7PurityProtein A or G purified from cell culture supernatantBufferPBSProduct DescriptionHostRatGene ID6382SpeciesHumanSpecificity/SensitivityDetects human Syndecan-1/VD138 in direct ELISAs.ImmunogenMouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988Product Application DetailsFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrado or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please or or extreme temperature fluctuations. These can lead to irreversible degrado or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please or 	Storage	Store at 4C in the dark. Do not freeze.
Preservative 0.05% Sodium Azide   Isotype IgG1   Conjugate PE/Cy7   Purity Protein A or G purified from cell culture supernatant   Buffer PBS   Product Description Host   Host Rat   Gene ID 6382   Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988   Product Application Details Flow Cytometry   Applications Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrade or decoupling. When staining intracellular targets, specific attention to the fin and permeabilization steps in your flow protocol may be required. Please or optimal distation steps in your flow protocol may be required. Please or optimal distation steps in your flow protocol may be required.	Clonality	Monoclonal
Isotype IgG1   Conjugate PE/Cy7   Purity Protein A or G purified from cell culture supernatant   Buffer PBS   Product Description Protein A or G purified from cell culture supernatant   Host Rat   Gene ID 6382   Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988   Product Application Details Flow Cytometry   Applications Flow Cytometry   Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure t or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please con the coupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please con the coupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please con the coupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be require	Clone	359103R
Conjugate PE/Cy7   Purity Protein A or G purified from cell culture supernatant   Buffer PBS   Product Description Rat   Host Rat   Gene ID 6382   Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gin18-Glu251 Accession # NP_002988   Product Application Details Flow Cytometry   Applications Flow Cytometry   Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure t or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please con the staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please con the staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please con the staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please con the staining intracellular targets, specific attention to the find and permeabilization steps in your flow protocol may be required. Please con	Preservative	0.05% Sodium Azide
Purity Protein A or G purified from cell culture supernatant   Buffer PBS   Product Description Product Description   Host Rat   Gene ID 6382   Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD GIn18-Glu251 Accession # NP_002988   Product Application Details Flow Cytometry   Applications Flow Cytometry   Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrade or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please compared to interversible degrade or decoupling. When staining intracellular targets, specific attention to the find and permeabilization steps in your flow protocol may be required. Please compared biling intracellular targets, specific attention to the find and permeabilization steps in your flow protocol may be required. Please compared biling intracellular targets, specific attention to the find and permeabilization steps in your flow protocol may be required.	Isotype	IgG1
Buffer PBS   Product Description Rat   Host Rat   Gene ID 6382   Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD GIn18-Glu251 Accession # NP_002988   Product Application Details Flow Cytometry   Applications Flow Cytometry   Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please can be added to the staining intracellular targets.	Conjugate	PE/Cy7
Product Description   Host Rat   Gene ID 6382   Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988   Product Application Details Applications   Applications Flow Cytometry   Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradar or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please col	Purity	Protein A or G purified from cell culture supernatant
HostRatGene ID6382SpeciesHumanSpecificity/SensitivityDetects human Syndecan-1/VD138 in direct ELISAs.ImmunogenMouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please con	Buffer	PBS
Gene ID6382SpeciesHumanSpecificity/SensitivityDetects human Syndecan-1/VD138 in direct ELISAs.ImmunogenMouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please can	Product Description	
Species Human   Specificity/Sensitivity Detects human Syndecan-1/VD138 in direct ELISAs.   Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988   Product Application Details Accession # NP_002988   Applications Flow Cytometry   Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please comparison of the staining intracellular targets.	Host	Rat
Specificity/SensitivityDetects human Syndecan-1/VD138 in direct ELISAs.ImmunogenMouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to 	Gene ID	6382
Immunogen Mouse myeloma cell line NS0-derived recombinant human Syndecan-1/CD Gln18-Glu251 Accession # NP_002988   Product Application Details Flow Cytometry   Applications Flow Cytometry   Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the finand permeabilization steps in your flow protocol may be required. Please content of the protocol may be required. Please content of the protocol may be required.	Species	Human
GIn18-Glú251 Accession # NP_002988   Product Application Details   Applications Flow Cytometry   Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please comparison of the staining intracellular targets in your flow protocol may be required.	Specificity/Sensitivity	Detects human Syndecan-1/VD138 in direct ELISAs.
ApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fit and permeabilization steps in your flow protocol may be required. Please complexity	Immunogen	
Recommended Dilutions Flow Cytometry   Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the finand permeabilization steps in your flow protocol may be required. Please compared to the fluctuation of the statement of the	Product Application Details	
Application NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fit and permeabilization steps in your flow protocol may be required. Please can	Applications	Flow Cytometry
optimal results using our Tandem dyes, please avoid prolonged exposure to or extreme temperature fluctuations. These can lead to irreversible degrada or decoupling. When staining intracellular targets, specific attention to the fi and permeabilization steps in your flow protocol may be required. Please co	Recommended Dilutions	Flow Cytometry
questions.	Application Notes	optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any

www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to FAB2780RPECY7

NBP1-88135PEP	Syndecan-1/CD138 Recombinant Protein Antigen
M6000B-1	IL-6 [HRP]
DY2780	Syndecan-1/CD138 [Biotin]
233-FB-025	FGF basic/FGF2/bFGF [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB2780RPECY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

