Product Datasheet CD81 Antibody (454720) [PE/Cy5.5] FAB4615PECY55

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB4615PECY55

Updated 7/29/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/FAB4615PECY55



FAB4615PECY55

CD81 Antibody (454720) [PE/Cy5.5]

services.StorageStore at 4C in the dark. Do not freeze.ClonalityMonoclonalClone454720Preservative0.05% Sodium AzideIsotypeIgG2bConjugatePE/Cy5.5PurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseGene ID975Gene SymbolCD81SpeciesHumanSpeciesHumanSpeciesHumanSpeciesHumanSpecificity/SensitivityDetects human CD81. Stains human CD81 transfectants but not irrelevant transfectants.ImmunogenHEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033Product ApplicationsFlow CytometryApplication NotesOptimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradati or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our ut chnical support team at technical@novusbio.com if you have any		
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 454720 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description House Gene ID 975 Gene Symbol CD81 Species Human Species House Commended Dilutions Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes <th>Product Information</th> <th></th>	Product Information	
services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 454720 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Mouse Gene ID 975 Gene Symbol CD81 Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Flow Cytometry Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Unit Size	0.1 ml
Clonality Monoclonal Clone 454720 Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Host Host Mouse Gene ID 975 Gene Symbol CD81 Species Human Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Flow Cytometry Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling, When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please con or our technical support team at technical@novusbio.com if you have any	Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Clone454720Preservative0.05% Sodium AzideIsotypeIgG2bConjugatePE/Cy5.5PurityProtein A or G purified from hybridoma culture supernatantBufferPBSProduct DescriptionMouseHostMouseGene ID975Gene SymbolCD81SpeciesHumanSpeciesHumanSpecificity/SensitivityDetects human CD81. Stains human CD81 transfectants but not irrelevant transfectants.ImmunogenHEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033Product Application DetailsFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal dilution steps in your flow protocol may be required. Please con our technical support team at technical @novusbio.com if you have any	Storage	Store at 4C in the dark. Do not freeze.
Preservative 0.05% Sodium Azide Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description House Gene ID 975 Gene Symbol CD81 Species Human Species Human Species Human Product Application Details Accession # P60033 Product Application S Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixe and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Clonality	Monoclonal
Isotype IgG2b Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description House Gene ID 975 Gene Symbol CD81 Species Human Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please com our technical support team at technical@novusbio.com if you have any	Clone	454720
Conjugate PE/Cy5.5 Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Mouse Gene ID 975 Gene Symbol CD81 Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Preservative	0.05% Sodium Azide
Purity Protein A or G purified from hybridoma culture supernatant Buffer PBS Product Description Mouse Host Mouse Gene ID 975 Gene Symbol CD81 Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradati or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Isotype	IgG2b
Buffer PBS Product Description Mouse Host Mouse Gene ID 975 Gene Symbol CD81 Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please com our technical support team at technical@novusbio.com if you have any	Conjugate	PE/Cy5.5
Product Description Host Mouse Gene ID 975 Gene Symbol CD81 Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Accession # P60033 Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Purity	Protein A or G purified from hybridoma culture supernatant
HostMouseGene ID975Gene SymbolCD81SpeciesHumanSpecificity/SensitivityDetects human CD81. Stains human CD81 transfectants but not irrelevant transfectants.ImmunogenHEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033Product Application DetailsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation and permeabilization steps in your flow protocol may be required. Please com our technical support team at technical@novusbio.com if you have any	Buffer	PBS
Gene ID 975 Gene Symbol CD81 Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please com our technical support team at technical@novusbio.com if you have any	Product Description	
Gene Symbol CD81 Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please comour technical support team at technical@novusbio.com if you have any	Host	Mouse
Species Human Specificity/Sensitivity Detects human CD81. Stains human CD81 transfectants but not irrelevant transfectants. Immunogen HEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033 Product Application Details Applications Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please com our technical support team at technical@novusbio.com if you have any	Gene ID	975
Specificity/SensitivityDetects human CD81. Stains human CD81 transfectants but not irrelevant transfectants.ImmunogenHEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please com our technical support team at technical@novusbio.com if you have any	Gene Symbol	CD81
transfectants.ImmunogenHEK293 human embryonic kidney cell line transfected with human CD81 Accession # P60033Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please como our technical support team at technical@novusbio.com if you have any	Species	Human
Accession # P60033 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixe and permeabilization steps in your flow protocol may be required. Please comour technical support team at technical@novusbio.com if you have any	Specificity/Sensitivity	
ApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixed and permeabilization steps in your flow protocol may be required. Please com- our technical support team at technical@novusbio.com if you have any	Immunogen	
Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to l or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixe and permeabilization steps in your flow protocol may be required. Please comour technical support team at technical@novusbio.com if you have any	Product Application Details	
Application NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please com- our technical support team at technical@novusbio.com if you have any	Applications	Flow Cytometry
optimal results using our Tandem dyes, please avoid prolonged exposure to l or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please com our technical support team at technical@novusbio.com if you have any	Recommended Dilutions	Flow Cytometry
4	Application Notes	optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to FAB4615PECY55

NBP2-60215-50ug	Recombinant Human CD81 hlgG-His Protein
7268-CT-100	CTLA-4 [Unconjugated]
9144-CD-050	CD81 [Unconjugated]
NB400-104	SR-BI Antibody - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB4615PECY55

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

