Product Datasheet

Fas Ligand/TNFSF6 Antibody (101624) [DyLight 680] FAB526Y

Unit Size: 0.5 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB526Y

Updated 7/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/FAB526Y



FAB526Y

Application Notes

Storage Store at 4C in the dark. Clonality Monoclonal Clone 101624 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 680 Purity Protein A or G purified from hybridoma culture supernatant Buffer 50mM Sodium Borate Product Description Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% croreactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-a, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNIFPro132-Leu279 Accession # P41047	Fas Ligand/TNFSF6 Antibody (101624) [DyLight 680]		
Concentration Please see the vial label for concentration. If unlisted please contact techniservices. Storage Store at 4C in the dark. Clonality Monoclonal Clone 101624 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 680 Purity Protein A or G purified from hybridoma culture supernatant Buffer 50mM Sodium Borate Product Description Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAILE and recombinant mouse (rm) TRANCE is observed and 5% croreactivity with rhSuc Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNf Pro132-Leu279	Product Information		
Storage Store at 4C in the dark. Clonality Monoclonal Clone 101624 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 680 Purity Protein A or G purified from hybridoma culture supernatant Buffer 50mM Sodium Borate Product Description Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-a, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNIFPro132-Leu279 Accession # P41047 Notes	t Size	0.5 ml	
Clonality Monoclonal Clone 101624 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 680 Purity Protein A or G purified from hybridoma culture supernatant Buffer 50mM Sodium Borate Product Description Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhSe Ligand, recombinant rat Fas Ligand, mTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNI Pro132-Leu279 Accession # P41047		Please see the vial label for concentration. If unlisted please contact technical services.	
Clone 101624 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 680 Purity Protein A or G purified from hybridoma culture supernatant Buffer 50mM Sodium Borate Product Description Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279	rage	Store at 4C in the dark.	
Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 680 Purity Protein A or G purified from hybridoma culture supernatant Buffer 50mM Sodium Borate Product Description Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% croreactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279 Accession # P41047	nality	Monoclonal	
Isotype IgG1 Conjugate DyLight 680 Purity Protein A or G purified from hybridoma culture supernatant Buffer 50mM Sodium Borate Product Description Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% crooreactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNf Pro132-Leu279 Accession # P41047	ne	101624	
Conjugate DyLight 680 Purity Protein A or G purified from hybridoma culture supernatant Buffer 50mM Sodium Borate Product Description Rat Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNI Pro132-Leu279 Accession # P41047 Notes	servative	0.05% Sodium Azide	
Purity Protein A or G purified from hybridoma culture supernatant Buffer 50mM Sodium Borate Product Description Rat Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279	:ype	IgG1	
Buffer 50mM Sodium Borate Product Description Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279	njugate	DyLight 680	
Product Description Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279	ity	Protein A or G purified from hybridoma culture supernatant	
Host Rat Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279 Accession # P41047 Notes	fer :	50mM Sodium Borate	
Gene ID 356 Gene Symbol Fasl Species Mouse Specificity/Sensitivity Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNIP Pro132-Leu279	Product Description		
Gene SymbolFaslSpeciesMouseSpecificity/SensitivityDetects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed.ImmunogenMouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279 Accession # P41047Notes	st !	Rat	
SpeciesMouseSpecificity/SensitivityDetects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed.ImmunogenMouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279 Accession # P41047Notes	ne ID	356	
Specificity/SensitivityDetects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed.ImmunogenMouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279 Accession # P41047Notes	ne Symbol	Fasl	
Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cro reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPR and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rh is observed. Immunogen Mouse myeloma cell line NS0-derived recombinant mouse Fas Ligand/TNF Pro132-Leu279 Accession # P41047	ecies	Mouse	
Pro132-Leu279 Accession # P41047 Notes		Detects mouse Fas Ligand/TNFSF6 in direct ELISAs and Western blots. In Western blots, approximately 10% cross-reactivity with recombinant human (rh) TRAIL and recombinant mouse (rm) TRANCE is observed and 5% cross-reactivity with rhFas Ligand, recombinant rat Fas Ligand, rmTNF-α, rhAPRIL, and rhVEGI is observed and no cross-reactivity with rhGITR Ligand and rhLIGHT is observed.	
		DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.	
Product Application Details			
Applications Western Blot, Neutralization	olications	Western Blot, Neutralization	
Recommended Dilutions Western Blot, Neutralization	commended Dilutions	Western Blot, Neutralization	
Applications Western Blot, Neutralization	es	Accession # P41047 DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiarie Western Blot, Neutralization	



Optimal dilution of this antibody should be experimentally determined.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to FAB526Y

NBP2-49160PEP Fas Ligand/TNFSF6 Recombinant Protein Antigen

210-TA-005 TNF-alpha [Unconjugated]
DFL00B Fas Ligand/TNFSF6 [HRP]
285-IF-100 IFN-gamma [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB526Y

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

