# **Product Datasheet**

# PILR-alpha Antibody (2175B) [Allophycocyanin/Cy7] FAB64842APCCY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB64842APCCY7

Updated 10/7/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/FAB64842APCCY7



# FAB64842APCCY7

PILR-alpha Antibody (2175B) [Allophycocyanin/Cy7]

| PILR-alpha Antibody (2175B) [Allophycocyanin/Cy7] |   |
|---|---|
| Product Information                               |   |
| Unit Size   | 0.1 ml  |
| Concentration                                     | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage   | Store at 4C in the dark. Do not freeze.   |
| Clonality   | Monoclonal  |
| Clone   | 2175B   |
| Preservative                                      | 0.05% Sodium Azide  |
| Isotype   | IgG   |
| Conjugate   | Allophycocyanin/Cy7   |
| Purity  | Protein A or G purified from cell culture supernatant   |
| Buffer  | PBS   |
| Product Description                               |   |
| Host  | Rabbit  |
| Gene ID   | 29992   |
| Species   | Human   |
| Specificity/Sensitivity                           | Detects human PILR□α in direct ELISAs.  |
| Immunogen   | Mouse myeloma cell line NS0-derived recombinant human PILR □ α with a C-terminal 6-His tag Gln20-Thr196 Accession # Q9UKJ1  |
| Product Application Details                       |   |
| Applications                                      | Flow Cytometry  |
| Recommended Dilutions                             | Flow Cytometry  |
| Application Notes                                 | Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any |



questions.



### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to FAB64842APCCY7**

NBP2-24891APCCY7 Rabbit IgG Isotype Control [Allophycocyanin/Cy7]

NBP2-55310PEP PILR-alpha Recombinant Protein Antigen

DC140 CD14 [HRP]

AVI10702-050 PILR-alpha [Biotin]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB64842APCCY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

