Product Datasheet

BTN3A1/2/3 Antibody (849203) [PE/Atto594] FAB7136PEATT594

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB7136PEATT594

Updated 10/10/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/FAB7136PEATT594



FAB7136PEATT594

Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 849203 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # 000481 Product Application Details Applications Flow Cytometry Recommended Dilutions Optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixa	BTN3A1/2/3 Antibody (849203) [PE/Atto594]	
Please see the vial label for concentration. If unlisted please contact technical services.	Product Information	
Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 849203 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # 000481 Product Application Details Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Unit Size	0.1 ml
Clonality Monoclonal Clone 849203 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # O00481 Product Application Details Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradatic or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Clone 849203 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chiese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # O00481 Product Application Details Application Notes Plow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixal and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Storage	Store at 4C in the dark. Do not freeze.
Preservative Isotype IgG1 Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # O00481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradatior or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Clonality	Monoclonal
Isotype IgG1	Clone	849203
Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # 000481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixal and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbio.com if you have any	Preservative	0.05% Sodium Azide
Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # O00481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Isotype	IgG1
Buffer PBS Product Description Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # 000481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradatic or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Conjugate	PE/Atto594
Product Description Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # O00481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradatic or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Purity	Protein A or G purified from cell culture supernatant
Host Mouse Gene ID 11119 Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # O00481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradatic or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Buffer	PBS
Gene Symbol BTN3A1 Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # 000481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradatic or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Product Description	
Gene Symbol Species Human Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # 000481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixal and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbio.com if you have any	Host	Mouse
Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # 000481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixal and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbio.com if you have any	Gene ID	11119
Specificity/Sensitivity Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs. Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # 000481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradatic or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Gene Symbol	BTN3A1
Immunogen Chinese hamster ovary cell line CHO-derived recombinant human CD277/BTN3A1 Met1-Gly254 Accession # 000481 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixal and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbio.com if you have any	Species	Human
CD277/BTN3A1 Met1-Gly254 Accession # O00481 Product Application Details Applications Flow Cytometry Recommended Dilutions Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixal and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbio.com if you have any	Specificity/Sensitivity	Detects human BTN3A1, BTN3A2 and BTN3A3 in direct ELISAs.
Applications Flow Cytometry Flow Cytometry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbio.com if you have any	Immunogen	CD277/BTN3A1 Met1-Gly254
Recommended Dilutions Flow Cytometry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any	Product Application Details	
Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbio.com if you have any	Applications	Flow Cytometry
optimal results using our Tandem dyes, please avoid prolonged exposure to li or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixal and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbio.com if you have any	Recommended Dilutions	Flow Cytometry
	Application Notes	optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to FAB7136PEATT594

NBP1-97005PEATT594 Mouse IgG1 Isotype Control (MG1) [PE/Atto594]

210-TA-005 TNF-alpha [Unconjugated]

DVE00 VEGF [HRP]

MAB342-100 CD28 Antibody (37407) [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB7136PEATT594

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

