Product Datasheet

TL1A/TNFSF15 Antibody (2116A) [PE/Atto594] FAB74422PEATT594

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB74422PEATT594

Updated 10/7/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/FAB74422PEATT594



FAB74422PEATT594

TL1A/TNFSF15 Antibody (2116A) [PE/Atto594]

| or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixat | · · · · · · · · · · · · · · · · · · · | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 2116A Preservative 0.05% Sodium Azide Isotype IgG Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAs. Immunogen <i>E. coli</i> -derived recombinant human TL1A/TNFSF15 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lit or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please contour our technical support team at technical@novusbio.com if you have any | Product Information | | |
| services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 2116A Preservative 0.05% Sodium Azide Isotype IgG Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Host Rabbit Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAs. Immunogen <i>E. coli-derived recombinant human</i> TL1A/TNFSF15 Leu72-Leu251 Accession # 095150 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please cont our technical suppor team at technical@novus | Unit Size | 0.1 ml | |
| Clonality Monoclonal Clone 2116A Preservative 0.05% Sodium Azide Isotype IgG Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Host Rabbit Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAs. Immunogen E. coli-derived recombinant human TL1A/TNFSF15 Accession # O95150 Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any | Concentration | | |
| Clone2116APreservative0.05% Sodium AzideIsotypeIgGConjugatePE/Atto594PurityProtein A or G purified from cell culture supernatantBufferPBSProduct DescriptionHostRabbitGene ID9966SpeciesHumanSpecificity/SensitivityDetects human TL1A/TNFSF15 in direct ELISAs.Immunogen <i>E. coli</i> -derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150Product Application DetailsFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please cont our technical support team at technical@novusbio.com if you have any | Storage | Store at 4C in the dark. Do not freeze. | |
| Preservative 0.05% Sodium Azide Isotype IgG Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Host Rabbit Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAs. Immunogen <i>E. coll-</i> derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # 095150 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbic.com if you have any | Clonality | Monoclonal | |
| Isotype IgG Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Host Rabbit Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAs. Immunogen <i>E. coli-</i> derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please contour technical support team at technical@novusbic.com if you have any | Clone | 2116A | |
| Conjugate PE/Atto594 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Postein A or G purified from cell culture supernatant Host Rabbit Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAs. Immunogen <i>E. coli</i> -derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lik or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please cont our technical support flow protocol may be required. Please cont our technical support flow protocol may be required. Please cont | Preservative | 0.05% Sodium Azide | |
| Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Posterion Host Rabbit Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAs. Immunogen <i>E. coli</i> -derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please conto our technical support team at technical@novusbio.com if you have any | Isotype | IgG | |
| Buffer PBS Product Description Rabbit Host Rabbit Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAS. Immunogen <i>E. coli</i> -derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please conto our technical support team at technical@novusbio.com if you have any | Conjugate | PE/Atto594 | |
| Product Description Host Rabbit Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAs. Immunogen <i>E. coli</i> -derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please control our technical support team at technical@novusbio.com if you have any | Purity | Protein A or G purified from cell culture supernatant | |
| HostRabbitGene ID9966SpeciesHumanSpecificity/SensitivityDetects human TL1A/TNFSF15 in direct ELISAs.Immunogen <i>E. coli</i> -derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please control our technical support team at technical@novusbio.com if you have any | Buffer | PBS | |
| Gene ID 9966 Species Human Specificity/Sensitivity Detects human TL1A/TNFSF15 in direct ELISAs. Immunogen E. coli-derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please contra our technical support team at technical@novusbio.com if you have any | Product Description | | |
| SpeciesHumanSpecificity/SensitivityDetects human TL1A/TNFSF15 in direct ELISAs.Immunogen <i>E. coli</i> -derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please conta our technical support team at technical@novusbio.com if you have any | Host | Rabbit | |
| Specificity/SensitivityDetects human TL1A/TNFSF15 in direct ELISAs.ImmunogenE. coli-derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to ligo or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please conta our technical support team at technical@novusbio.com if you have any | Gene ID | 9966 | |
| Immunogen E. coli-derived recombinant human TL1A/TNFSF15 Leu72-Leu251 Accession # O95150 Product Application Details Applications Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to ligor extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please contaour technical support team at technical@novusbio.com if you have any | Species | Human | |
| Leu72-Leu251 Accession # O95150Product Application DetailsApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please conta our technical support team at technical@novusbio.com if you have any | Specificity/Sensitivity | Detects human TL1A/TNFSF15 in direct ELISAs. | |
| ApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please conta our technical support team at technical@novusbio.com if you have any | Immunogen | Leu72-Leu251 | |
| Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to ligor extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please contario our technical support team at technical@novusbio.com if you have any | Product Application Details | | |
| Application NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please conta our technical support team at technical@novusbio.com if you have any | Applications | Flow Cytometry | |
| optimal results using our Tandem dyes, please avoid prolonged exposure to lig or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixat and permeabilization steps in your flow protocol may be required. Please conta our technical support team at technical@novusbio.com if you have any | Recommended Dilutions | Flow Cytometry | |
| | Application Notes | optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any | |

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to FAB74422PEATT594

| NBP2-35067-5ug | Recombinant Human TL1A/TNFSF15 Protein |
|----------------|----------------------------------------|
| 210-TA-005 | TNF-alpha [Unconjugated] |
| 1896-TL-010 | TL1A/TNFSF15 [Unconjugated] |
| DVE00 | VEGF [HRP] |
| | |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB74422PEATT594

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

