# **Product Datasheet**

# MCAM/CD146 Antibody (733216) [Alexa Fluor® 532] FAB7718X

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB7718X

Updated 8/10/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/FAB7718X



## **FAB7718X**

MCAM/CD146 Antibody (733216) [Alexa Fluor® 532]

Product Information Unit Size  0.1 ml  Concentration  Please see the vial label for concentration services.  Storage  Store at 4C in the dark.  Clonality  Monoclonal  Clone  733216  Preservative  0.05% Sodium Azide  Isotype  IgG2a  Conjugate  Alexa Fluor 532  Purity  Protein A or G purified from hybridoma or Buffer  Froduct Description  Host  Rat  Gene ID  4162  Gene Symbol  MCAM  Specificity/Sensitivity  MCAM  Specificity/Sensitivity  Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with remALCAM, rmNCAM, recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, or recombinant mouse and Mouse myeloma cell line NS0-derived remaining Mouse myeloma cell line NS0-derived l	
Concentration  Please see the vial label for concentration services.  Storage  Store at 4C in the dark.  Clonality  Monoclonal  Clone  733216  Preservative  0.05% Sodium Azide  Isotype  IgG2a  Conjugate  Alexa Fluor 532  Purity  Protein A or G purified from hybridoma combinate  Product Description  Host  Gene ID  4162  Gene Symbol  Specificity/Sensitivity  Detects mouse MCAM/CD146 in direct Ecross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, or recombinant mouse metalogue.  Mouse myeloma cell line NS0-derived reactivity and the material services and the material services.	
services.  Storage Store at 4C in the dark.  Clonality Monoclonal  Clone 733216  Preservative 0.05% Sodium Azide Isotype IgG2a  Conjugate Alexa Fluor 532  Purity Protein A or G purified from hybridoma c Buffer 50mM Sodium Borate  Product Description Host Rat Gene ID 4162  Gene Symbol MCAM  Specificity/Sensitivity Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombin Immunogen Mouse myeloma cell line NS0-derived re Met1-Val563 Accession # Q8R2Y2	
Clonality  Clone  733216  Preservative  0.05% Sodium Azide  Isotype  IgG2a  Conjugate  Alexa Fluor 532  Purity  Protein A or G purified from hybridoma c  Buffer  50mM Sodium Borate  Product Description  Host  Rat  Gene ID  4162  Gene Symbol  MCAM  Specificity/Sensitivity  Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombin  Immunogen  Mouse myeloma cell line NS0-derived re Met1-Val563 Accession # Q8R2Y2	ulture supernatant
Clone 733216  Preservative 0.05% Sodium Azide  Isotype IgG2a Conjugate Alexa Fluor 532  Purity Protein A or G purified from hybridoma c Buffer 50mM Sodium Borate  Product Description Host Rat Gene ID 4162 Gene Symbol MCAM Specificity/Sensitivity Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinant human MCAM, or recombinant mouse cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinant human MCAM, or recombinant muse myeloma cell line NS0-derived re Met1-Val563 Accession # Q8R2Y2	ulture supernatant
Preservative  Isotype  IgG2a  Conjugate  Alexa Fluor 532  Purity  Protein A or G purified from hybridoma c  Buffer  50mM Sodium Borate  Product Description  Host  Rat  Gene ID  4162  Gene Symbol  MCAM  Specificity/Sensitivity  Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombin  Immunogen  Mouse myeloma cell line NS0-derived re Met1-Val563 Accession # Q8R2Y2	ulture supernatant
Isotype  Conjugate Alexa Fluor 532  Purity Protein A or G purified from hybridoma c Buffer 50mM Sodium Borate  Product Description Host Rat Gene ID 4162  Gene Symbol MCAM  Specificity/Sensitivity Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, or recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recom	ulture supernatant
Conjugate  Purity  Protein A or G purified from hybridoma c Buffer  50mM Sodium Borate  Product Description  Host  Rat  Gene ID  4162  Gene Symbol  MCAM  Specificity/Sensitivity  Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombin  Immunogen  Mouse myeloma cell line NS0-derived re Met1-Val563 Accession # Q8R2Y2	ulture supernatant
Purity Protein A or G purified from hybridoma c  Buffer 50mM Sodium Borate  Product Description Host Rat Gene ID 4162 Gene Symbol MCAM Specificity/Sensitivity Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, and recombinant	ulture supernatant
Buffer 50mM Sodium Borate  Product Description  Host Rat  Gene ID 4162  Gene Symbol MCAM  Specificity/Sensitivity Detects mouse MCAM/CD146 in direct Ecross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombination Mouse myeloma cell line NS0-derived reference Met1-Val563  Accession # Q8R2Y2	ulture supernatant
Product Description  Host Rat  Gene ID 4162  Gene Symbol MCAM  Specificity/Sensitivity Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, and recombinate mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinate mouse Mouse myeloma cell line NSO-derived re Met1-Val563 Accession # Q8R2Y2	
Host  Gene ID  4162  Gene Symbol  MCAM  Specificity/Sensitivity  Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinate Mouse myeloma cell line NS0-derived re Met1-Val563  Accession # Q8R2Y2	
Gene Symbol  Specificity/Sensitivity  Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, or recombinate mouse cross-reactivity with rmALCAM, recombinate human MCAM, or recombinate mouse myeloma cell line NS0-derived reference metal-val563 Accession # Q8R2Y2	
Gene Symbol  Specificity/Sensitivity  Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombinant human MCAM, or recombinant human MCAM, or recombinate mouse cross-reactivity with rmALCAM, recombinant human MCAM, or recombinate mouse myeloma cell line NS0-derived re Met1-Val563  Accession # Q8R2Y2	
Specificity/Sensitivity  Detects mouse MCAM/CD146 in direct E cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombin Mouse myeloma cell line NS0-derived re Met1-Val563 Accession # Q8R2Y2	
cross-reactivity with recombinant mouse cross-reactivity with rmALCAM, rmNCAM recombinant human MCAM, or recombin Mouse myeloma cell line NS0-derived re Met1-Val563 Accession # Q8R2Y2	
Met1-Val563 Accession # Q8R2Y2	(rm) MAdCAM-1 is observed, and no l, rmL1CAM, rmOCAM, rmTROP-2,
Notes Alexa Fluor (R) products are provided up	combinant mouse MCAM/CD146
Life Technologies Corporation. The purch buyer the non-transferable right to use the product only in research conducted academic or for-profit entity). The sale of the buyer not using the product or its continuous the product or its components, in any act include, but is not limited to use of the product using the provide a service, in payment; (iii) for therapeutic, diagnostic or resale, regardless of whether they are re on purchasing a license to this product for above, contact Life Technologies Corpor CA 92008 USA or outlicensing@lifetech. demand. Actual recovery may vary from volume will be greater than or equal to the	e purchased product and components d by the buyer (whether the buyer is an this product is expressly conditioned on aponents, or any materials made using livity to generate revenue, which may oduct or its components: (i) in aformation, or data in return for or prophylactic purposes; or (iv) for sold for use in research. For information or purposes other than as described lation, 5791 Van Allen Way, Carlsbad, com. This conjugate is made on the stated volume of this product. The
Product Application Details	e unit size stated on the datasheet.
Recommended Dilutions Flow Cytometry, Immunocytochemistry, 0	
Application Notes         Optimal dilution of this antibody should be	





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB7718X

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

