Product Datasheet

CLEC4E Antibody (2455C) [Allophycocyanin/Cy7] FAB8995APCCY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/FAB8995APCCY7

Updated 10/7/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/FAB8995APCCY7



FAB8995APCCY7

CLEC4E Antibody (2455C) [Allophycocyanin/Cy7]

services.StorageStore at 4C in the dark. Do not freeze.ClonalityMonoclonalClone2455CPreservative0.05% Sodium AzideIsotypeIgGConjugateAllophycocyanin/Cy7PurityProtein A or G purified from cell culture supernatantBufferPBSProduct DescriptionHostRabbitGene ID26253SpeciesHumanSpecificity/SensitivityDetects human CLEC4E in direct ELISAs.ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4EApplicationsFlow CytometryAccession # Q9ULY5Flow CytometryApplication NotesOptimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling, When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any		
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 2455C Preservative 0.05% Sodium Azide Isotype IgG Conjugate Allophycocyanin/Cy7 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Host Rabbit Gene ID 26253 Species Human Specificity/Sensitivity Detects human CLEC4E in direct ELISAs. Immunogen Chinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixe and permeabilization steps in your flow protocor may be required. Please con our technical support team at technical@novusbio.com if you have any	Product Information	
services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 2455C Preservative 0.05% Sodium Azide Isotype IgG Conjugate Allophycocyanin/Cy7 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Host Rabbit Gene ID 26253 Species Human Specificity/Sensitivity Detects human CLEC4E in direct ELISAs. Immunogen Chinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Accession # Q9ULY5 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure to I or exterme temperature fluctuations. These can lead to irreversible degradatio or decoupling, When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please con on our technical support team at technical@envousbio.com if you have any	Unit Size	0.1 ml
ClonalityMonoclonalClone2455CPreservative0.05% Sodium AzideIsotypeIgGConjugateAllophycocyanin/Cy7PurityProtein A or G purified from cell culture supernatantBufferPBSProduct DescriptionRabbitHostRabbitGene ID26253SpeciesHumanSpecificity/SensitivityDetects human CLEC4E in direct ELISAs.ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5Product Application DetailsFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal dilution steps in your flow protocol may be required. Please con our technical support team at technical @novusbio.com if you have any	Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Clone2455CPreservative0.05% Sodium AzideIsotypeIgGConjugateAllophycocyanin/Cy7PurityProtein A or G purified from cell culture supernatantBufferPBSProduct DescriptionHostRabbitGene ID26253SpeciesHumanSpecificity/SensitivityDetects human CLEC4E in direct ELISAs.ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Accession # Q9ULY5Product Application DetailsFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Storage	Store at 4C in the dark. Do not freeze.
Preservative 0.05% Sodium Azide Isotype IgG Conjugate Allophycocyanin/Cy7 Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Host Host Rabbit Gene ID 26253 Species Human Specificity/Sensitivity Detects human CLEC4E in direct ELISAs. Immunogen Chinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5 Product Application Details Flow Cytometry Applications Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixe and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Clonality	Monoclonal
IsotypeIgGConjugateAllophycocyanin/Cy7PurityProtein A or G purified from cell culture supernatantBufferPBSProduct DescriptionRabbitHostRabbitGene ID26253SpeciesHumanSpecificity/SensitivityDetects human CLEC4E in direct ELISAs.ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5Product Application DetailsFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Clone	2455C
ConjugateAllophycocyanin/Cy7PurityProtein A or G purified from cell culture supernatantBufferPBSProduct DescriptionProduct DescriptionHostRabbitGene ID26253SpeciesHumanSpecificity/SensitivityDetects human CLEC4E in direct ELISAs.ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5Product Application DetailsFlow CytometryApplicationsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradati or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Preservative	0.05% Sodium Azide
Purity Protein A or G purified from cell culture supernatant Buffer PBS Product Description Rabbit Host Rabbit Gene ID 26253 Species Human Specificity/Sensitivity Detects human CLEC4E in direct ELISAs. Immunogen Chinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to 1 or extreme temperature fluctuations. These can lead to irreversible degradatit or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Isotype	IgG
Buffer PBS Product Description Rabbit Host Rabbit Gene ID 26253 Species Human Specificity/Sensitivity Detects human CLEC4E in direct ELISAs. Immunogen Chinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5 Product Application Details Flow Cytometry Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fix and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Conjugate	Allophycocyanin/Cy7
Product Description Host Rabbit Gene ID 26253 Species Human Specificity/Sensitivity Detects human CLEC4E in direct ELISAs. Immunogen Chinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5 Product Application Details Applications Applications Flow Cytometry Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Purity	Protein A or G purified from cell culture supernatant
HostRabbitGene ID26253SpeciesHumanSpecificity/SensitivityDetects human CLEC4E in direct ELISAs.ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I 	Buffer	PBS
Gene ID26253SpeciesHumanSpecificity/SensitivityDetects human CLEC4E in direct ELISAs.ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradatio or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Product Description	
SpeciesHumanSpecificity/SensitivityDetects human CLEC4E in direct ELISAs.ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Host	Rabbit
Specificity/SensitivityDetects human CLEC4E in direct ELISAs.ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please com our technical support team at technical@novusbio.com if you have any	Gene ID	26253
ImmunogenChinese Hamster Ovary cell line, CHO-derived recombinant human CLEC4E Arg41-Leu219 Accession # Q9ULY5Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation our technical support team at technical@novusbio.com if you have any	Species	Human
Arg41-Leu219 Accession # Q9ULY5Product Application DetailsApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please com our technical support team at technical@novusbio.com if you have any	Specificity/Sensitivity	Detects human CLEC4E in direct ELISAs.
ApplicationsFlow CytometryRecommended DilutionsFlow CytometryApplication NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixe and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Immunogen	Arg41-Leu219
Recommended Dilutions Flow Cytometry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixe and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Product Application Details	
Application NotesOptimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to I or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixe and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Applications	Flow Cytometry
optimal results using our Tandem dyes, please avoid prolonged exposure to l or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixa and permeabilization steps in your flow protocol may be required. Please con our technical support team at technical@novusbio.com if you have any	Recommended Dilutions	Flow Cytometry
quoduonoi	Application Notes	optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to FAB8995APCCY7

8995-CL-050	CLEC4E [Unconjugated]
210-TA-005	TNF-alpha [Unconjugated]
NBP2-52028-0.1mg	Recombinant Human CLEC4E His Protein
NBP2-24891APCCY7	Rabbit IgG Isotype Control [Allophycocyanin/Cy7]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB8995APCCY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

