Product Datasheet

Alpha Actinin 4 Antibody (4D10) - Azide and BSA Free H00000081-M01

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00000081-M01

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/H00000081-M01




H00000081-M01

Alpha Actinin 4 Antibody (4D10) - Azide and BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	4D10
Preservative	No Preservative
Isotype	IgG2a Kappa
Purity	IgG purified
Buffer	In 1x PBS, pH 7.4
Product Description	
Description	Quality control test: Antibody Reactive Against Recombinant Protein.
Host	Mouse
Gene ID	81
Gene Symbol	ACTN4
Species	Human, Mouse, Rat, Monkey
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Specificity/Sensitivity	ACTN4 - actinin, alpha 4
Immunogen	ACTN4 (NP_004915, 592 a.a. ~ 701 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. KEAQRIAESNHIKLSGSNPYTTVTPQIINSKWEKVQQLVPKRDHALLEEQSKQQ SNEHLRRQFASQANVVGPWIQTKMEEIGRISIEMNGTLEDQLSHLKQYERSIVD YK
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin
Application Notes	Antibody reactivity against cell lysate and recombinant protein for WB. It has also been used for IF, IHC-P and ELISA.







Western Blot: Alpha Actinin 4 Antibody (4D10) [H00000081-M01] - Analysis of ACTN4 expression in transfected 293T cell line by ACTN4 monoclonal antibody (M01), clone 4D10.Lane 1: ACTN4 transfected lysate(104.9 KDa).Lane 2: Non-transfected lysate.



Immunocytochemistry/Immunofluorescence: Alpha Actinin 4 Antibody (4D10) [H00000081-M01] - Analysis of monoclonal antibody to ACTN4 on HeLa cell. Antibody concentration 20 ug/ml.




Immunohistochemistry-Paraffin: Alpha Actinin 4 Antibody (4D10) [H00000081-M01] - Analysis of monoclonal antibody to ACTN4 on formalin-fixed paraffin-embedded human lung adenocarcinoma. Antibody concentration 3 ug/ml.




Western Blot: Alpha Actinin 4 Antibody (4D10) [H00000081-M01] - ACTN4 monoclonal antibody (M01), clone 4D10. Analysis of ACTN4 expression in PC-12.






Immunohistochemistry-Paraffin: Alpha Actinin 4 Antibody (4D10) [H00000081-M01] - Analysis of monoclonal antibody to ACTN4 on formalin-fixed paraffin-embedded human testis. Antibody concentration 3 ug/ml.



ELISA: Alpha Actinin 4 Antibody (4D10) [H00000081-M01] - Detection limit for recombinant GST tagged ACTN4 is approximately 0.1ng/ml as a capture antibody.



Publications

Xu X, Honda K, Miura N et al. Actinin-4 splice variant - a complementary diagnostic and prognostic marker of pancreatic neuroendocrine neoplasms. J Cancer. 2020-02-10 [PMID: 32127958]

Aguilar-Hernandez N, Silva-Ayala D, Lopez S, and Arias CF The actin cytoskeleton is important for rotavirus internalization and RNA genome replication. Virus Res. 2019-04-09 [PMID: 30639190]

Shiraishi H, Fujiwara Y, Kakuya T et al. Actinin-4 protein overexpression as a predictive biomarker in adjuvant chemotherapy for resected lung adenocarcinoma. Biomark Med 2017-06-29 [PMID: 28658966]

Yamada S, Yanamoto S, Yoshida H et al. RNAi-mediated down-regulation of alpha-actinin-4 decreases invasion potential in oral squamous cell carcinoma. Int J Oral Maxillofac Surg. 2009-11-11 [PMID: 19913389]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to H00000081-M01

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96981-0.5mg Mouse IgG2a Kappa Isotype Control (M2AK)

Recombinant Human Alpha Actinin 4 GST (N-Term) Protein H00000081-P01-10ug

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00000081-M01

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

