Product Datasheet

Recombinant Human DMPK GST (N-Term) Protein H00001760-P01-10ug

Unit Size: 10 ug

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/H00001760-P01

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/H00001760-P01



H00001760-P01-10ug

Recombinant Human DMPK GST (N-Term) Protein

Unit Size 10 ug Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at -80C. Avoid freeze-thaw cycles. Preservative No Preservative Purity >80% by SDS-PAGE and Coomassie blue staining Buffer 50 mM Tris-HCl, 10 mM reduced Glutathione, pH 8.0 in the elution buffer. Target Molecular Weight 94.93 kDa Product Description A recombinant protein with GST tag at N-terminal corresponding to the amino acids 1-629 of Human DMPK Source: Wheat Germ (in vitro) Amino Acid Sequence: MSAEVRLRRLQQLVLDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMQTGQVYAMKIMNKWD AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMQTGQVYAMKIMNKWD AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMQTGQVYAMKIMNKWD AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMQTGQVEQUUTLL LSKFGERIPALMARTPYLAEIVMAIDSVHRLGYVHRDIKPDNILLDRCGHIRLAPGG SCLKLRADGTVRSLVAVGTPDYLSPEILQAVGEQFGSYGPECDWWALGVF AYEMPYGQTPYADSTAEFTVSQNHYKEHLSLPLVDEGVPEEARDFIGALCPF ETRLGRGGAGDFRTHPFFFGLDWDGLRDSVPPTPDFEGATDTCNFDLVEDG ULEPHVQAPSLEPSVSPQDETAEVAVPAAVPAAEAEAEVTLRELOEALEEFVL TRQSLSREMEARTDNQMFASQDERAEARNRDLEAHTYRQDERMELLQAEGAT TAVTGVPSPRATDPPSHLDGPPAVAVGGCPLVGPGPMHRRHLLLPARVPRPG LSEALSLLLFAVVLSRAAALGCIGLVAHAGQLTAVWRRPGAARAP Gene ID 1760 Gene Symbol DMPK Species Human Preparation Method in vitro wheat germ expression system that should preserve corecrec conformational fo	Product Information	
Services. Storage Store at +80C. Avoid freeze-thaw cycles. Preservative No Preservative Purity >80% by SDS-PAGE and Coomassie blue staining Buffer 50 mM Tris-HCl, 10 mM reduced Glutathione, pH 8.0 in the elution buffer. Target Molecular Weight 94.93 kDa Product Description Description A recombinant protein with GST tag at N-terminal corresponding to the amino acids 1-629 of Human DMPK Source: Wheat Germ (in vitro) Amino Acid Sequence: MSAEVRLRRLQQLVLDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW AEPIVYRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMKQTGQVYAMKIMNKWD MLKRGEVSCFREERDVLVNGORRWITVLTMEYVVGGDLTLL LKRGEVSCFREERDVLVNGORRWITVLHVMEYVVYLQGGUTQUYAMKIMNKWD MLKRGEVSCFREERDVLVNGORRWITVLHKEVDSPERTPTPGLEALE QLEPHVQAPSLEPSVSPQDETAEVAVPAAVPAAEAEAEVTLRELQEALEEVL TRQSLSREMEAIRTDNQNFASQLREAEARNRDSEVPEGPTMELEAE Gene ID 1760 Gene Symbol DMPK Species Human Preparation Method in vitro wheat germ expression system Details of Functionality This protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein nould display some level of activity. the functionality of t	Unit Size	10 ug
Preservative No Preservative Purity >80% by SDS-PAGE and Coomassie blue staining Buffer 50 mM Tris-HCI, 10 mM reduced Glutathione, pH 8.0 in the elution buffer. Target Molecular Weight 94.93 kDa Product Description A recombinant protein with GST tag at N-terminal corresponding to the amino acids 1-629 of Human DMPK Source: Wheat Germ (in vitro) Amino Acid Sequence: MSAEVRLRRLQQLVLDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMKQTGQVYAMKIMNKWD MLKRGEVSCFREERDVLVNCDRRWITQLHFAFQDENYLYLVMEYYVGGDLLTL LSKFGERIPAEMARFYLAEIVMAIDSVHRLGVHRDKKOTGQUYAMKIMNKWD MLKRGEVSCFREERDVLVNGTPRVLPFLQAVGGGPGTGSYGFECDWWALGVF AYEMFYGQTPFYADSTAETYGKIVHYKEHLSLPLVDEGVPEEARDFIQRLLCPP ETRLGRGAGGGTLSDIREGAPLGVHUPFVGYSYSCMALRDSEVPGPTPMELEAE QLLEPHVQAPSLEPSVSPQDETAEVAVPAAVPAAEAEAEVTLRELQAEGAE Gene ID 1760 Gene Symbol DMPK Species Human Preparation Method in vitro wheat germ expression system Details of Functionality This protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity, the functionality of this protein has not been explicitly measured or validated.	Concentration	·
Purity >80% by SDS-PAGE and Coomassie blue staining Buffer 50 mM Tris-HCl, 10 mM reduced Glutathione, pH 8.0 in the elution buffer. Target Molecular Weight 94.93 kDa Product Description A recombinant protein with GST tag at N-terminal corresponding to the amino acids 1-629 of Human DMPK Source: Wheat Germ (in vitro) Amino Acid Sequence: MSAEVRIR.RLQQLVIDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMKQTGQVYAMKIMNKWD MLKRGEVSCFREERDVLVNGDRRWITQLHFAPQDENYLVLWEYVGGDLTL SKFGERIPAEMARFYLAEIWANIDSVHRLGYVHRDKIPDNILLDRGGHIRLADFG SCLKLRADGTVRSLVAVGTPDVLSPEILQAVGGGPGTGSYGPECDWWALGVF AYEMFYGQTPFYADSTAETYGKIVHYKEHLSLPLVDEGVPEEARDFIQRLLCPF AYEMFYGQTFFYADSTAETYGKIVHYKEHLSLPLVDEGVPEEARDFIQRLLCPF AIGMINGGAGGDFRTHPFFFGLDWDCLRDSVPPTPDFEGATDTCNFDLVEDG LTAMVSGGGETLSDIREGAPLCVHLPFVGYSSCMALRDSEVPGPTPMELEAE QLLEPHVQAPSLEPSVSPQDETAEVAVPAAVAEAEAEVTLRELQEALEEEVL TAGSLSREMEAIRTDNQNFASQLREAEARNRDLEAHVRQLQERMELLQAEGA TAVTGVPSPRATDPPSHLDGPPAVAVGQCPLVGPGPMHRRHLLLPARVPRPG LSEALSLLLFAVVLSRAAALGCIGLVAHAGQLTAVWRRPGAARAP Gene ID 1760 Gene Symbol DMPK Species Human Preparation Method in vitro wheat germ expression system Details of Functionality This protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity, the functionality of this protein has not been explicity measured or validated.	Storage	Store at -80C. Avoid freeze-thaw cycles.
Buffer 50 mM Tris-HCl, 10 mM reduced Glutathione, pH 8.0 in the elution buffer. Target Molecular Weight 94.93 kDa Product Description A recombinant protein with GST tag at N-terminal corresponding to the amino acids 1-629 of Human DMPK Source: Wheat Germ (in vitro) Amino Acid Sequence: MSAEVRLRLQQUVLDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMKQTGQVYAMKIMNKWD MLKRGEVSCFREERDVLVNGDRRWITQLHFAFQDENYLYLVMEYYVGGDLLTL LSKFGERIPAEMARPYLAEIVMAIDSVHRLGVVHRDIKPDNILDRCGHIRLADFG SCLKLRADGTVRSLVAVGTPDYLSPELQAVGGGPGTGSVGPECDWWALGVF AYEMFYQQTPFYADSTAETYGKIVHYKEHLSLPLVDEGVPEEARDFIQRLLCPP ETRLGRGGAGDFRTHPFFFGLDWDGLRDSVPPFTPDFEGATDTCNFDLV2DG ULEPHVQAPSLEPSVSPQDETAEVAVAPAVPAAEAEAEVTLRELQALGEEVL TRQSLSREMEAIRTDNQNFASQLREAEARNRDLEAHVRQLQERMELLQAEGA TAVTGVPSPRATDPSHLDGPPAVAVGQCPLVCPGPMHRRHLLLPARVPRPG LSEALSLLLFAVVLSRAAALGCIGLVAHAGQLTAVWRRPGAARAP Gene ID 1760 Gene Symbol DMPK Species Human Preparation Method in vitro wheat germ expression system Details of Functionality This protein was produced in an in vitro wheat germ expression system that should preserve correct conformational of display some level of activity, the function.While it is protein has not been explicitly measured or validated.	Preservative	No Preservative
Target Molecular Weight 94.93 kDa Product Description A recombinant protein with GST tag at N-terminal corresponding to the amino acids 1-629 of Human DMPK Source: Wheat Germ (in vitro) Amino Acid Sequence: MSAEVRLRRLQQLVLDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMKQTGQVYAMKIMNKWD MLKRGEVSCFREERDVLVNGDRRWITQLHFAFQDENYLYLVMEYYVGGDLTL LSKFGERIPAEMARFYLAEIVMAIDSVHRLGYVHRDIKPDNILLDRCGHIRLADFG SCLKLRADGTVRSLVAVGTPQVISPELQVEQGGPGTGSYGPECDWALGVF AYEMFYGQTPFYADSTAETYGKIVHYKEHLSLPLVDEGVPEEARDFIQRLLCPP ETRLGRGGAGDFRTHPFFFGLDWDGLRDSVPPFTPDFEGATDTCNFDLVEDG LTAMVSGGGETLSDIREGAPLGVHLPFVGYSYSCMALRDSEVPGPTPMELEAE QLLEPHVQAPSLEPSVSPQDETAEVAVPAAVPAAEAEAEVTLRELQEALEEEVL TAVTGVPSPRATDPSHLDGPPAVAVGQCPLVGGGPMIRRHLLPARVPRPG LSEALSLLLFAVVLSRAAALGCIGLVAHAGQLTAVWRRPGAARAP Gene ID 1760 ESEALSLLLFAVVLSRAAALGCIGLVAHAGQLTAVWRRPGAARAP Preparation Method in vitro wheat germ expression system This protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is protein has not been explicitly measured or validated.	Purity	>80% by SDS-PAGE and Coomassie blue staining
Product Description Description A recombinant protein with GST tag at N-terminal corresponding to the amino acids 1-629 of Human DMPK Source: Wheat Germ (in vitro) Amino Acid Sequence: MSAEVRLRRLQQLVLDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW AEPIVVRLKEVRLQDDFEILKVIGRGAFSEVAVVKMKQTGQVYAMKIMNKWD MLKRGEVSCFREERDVLVNGDRRWITQLHFAFQDENYLYLVMEYYVGGDLLTL LSKFGERIPAEMARFYLAEIVMAIDSVHRLGYVHRDIKPDNILLDRCGHIRLADFG SCLKLRADGTVRSLVAVGTDPVLSPEILQAVGGGPGTGSSGPECDWALGVF AYEMFYGQTPFYADSTAETYGKIVHYKEHLSLPLVDEGVPEEARDFIQRLLCPP ETRLGRGGAGDFRTHPFFFGLDWDGLRDSVPPFTPDFEGATDTCNFDLVEDG LTAMVSGGGETLSDIREGAPLGVHLPFVGYSYSCMALRDSEVPGFTPMELEAA QLLEPHVQAPSLEPSVSPQDETAEVAVPAAVPAAEAEAEVTLRELQEALEEEVL TRAVTGVPSPRATDPSHLDGPPAVAVGQCPLVGGGPMTRSPFMELEAA QLLEPHVQAPSLEPSVSPQDETAEVAVPAAVPAAEAEAEVTLRELQEALEEEVL TAYTGVPSPRATDPSHLDGPAVAVGQCPLVGGGPMTRRHLLPARVPRPG Species Human Preparation Method in vitro wheat germ expression system Details of Functionality This protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein doid diplay some level of activity, the functionality of this protein has not been explicitly measured or validated.	Buffer	50 mM Tris-HCI, 10 mM reduced Glutathione, pH 8.0 in the elution buffer.
DescriptionA recombinant protein with GST tag at N-terminal corresponding to the amino acids 1-629 of Human DMPKSource:Wheat Germ (in vitro)Amino Acid Sequence: MSAEVRLRRLQQLVLDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMKQTGQVYAMKIMNKWD MLKRGEVSCFREERDVLVNGDRRWITQLHFAFQDENYLYLVMEYYVGGDLLTL LSKFGERIPAEMARFYLAEIVMAIDSVHRLGYVHRDIKPDNILLDRCGHIRLADFG SCLKLRADGTVRSLVAVGTPDYLSPEILQAVGGPGGFGSVGPECDWWALGVF AYEMFYGQTPFYADSTAETYCKIVHYKEHLSLPLVDEGVPEARDFIQRLCPP ETRLGRGGAGDFRTHPFFFGLDWDGLRDSVPPFTPDFEGATDTCNFDLVEDG LTAMVSGGEFLSDIREGAPLGVHLPFVGYSYSCMALRDSEVPGPTPMELEAE QLLEPHVQAPSLEPSVSPQDETAEVAVPAAEAEAEVTLRELQEALEEEVL TRQSLSREMEAIRTDNQNFASQLREAEARNRDLEAHVRQLQERMELLQAEGA TAVTGVPSPRATDPSHLDGPPAVAVGQCPLVGPGPMHRRHLLLPARVPRPG LSEALSLLLFAVVLSRAAALGCIGLVAHAGQLTAVWRRPGAARAPGene ID1760Gene SymbolDMPKSpeciesHumanPreparation Methodin vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological functionality of this protein has not been explicitly measured or validated.	Target Molecular Weight	94.93 kDa
acids 1-629 of Human DMPKSource: Wheat Germ (in vitro)Amino Acid Sequence: MSAEVRLRRLQQLVLDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW MEAPIVVRLKEVRLQQDVLDPGFLGLEPLLDLLIGVHQELGASELAQDKYVADFLQW MEKRGEVSCFREERDVLVNGDRRWITQLHFAFQDENYLYLVMEYYGGDLLTL LSKFGERIPAEMARFYLAEIVMAIDSVHRLGYVHRDIKPDNILLDRCGHIRLADFG SCLKLRADGTVRSLVAVGTPDYLSPEILQAVGGGPGTGSYGPECDWWALGVF AYEMFYQQTPFYADSTAETYGKIVHYKEHLSLPLVDEGVPEEARDFIORLLCPP ETRLGRGGAGDFRTHPFFGLDWDGLRDSVPPFTPDFEGATDTCNFDLVEDG LLEPHVQAPSLEPSVSPQDETAEVAVPAAVPAAEAEAENTRELQEALEEEVL TRQSLSREMEAIRTDNQNFASQLREAEARNRDLEAHVRQLQERMELLQAEGA TAVTGVPSPRATDPPSHLDGPPAVAVGQCPLVGPGPMHRRHLLLPARVPRPG LSEALSLLLFAVVLSRAAALGCIGLVAHAGQLTAVWRRPGAARAPGene ID1760Gene SymbolDMPKSpeciesHumanPreparation Methodin vitro wheat germ expression systemDetails of FunctionalityThis protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity, the functionality of this protein has not been explicitly measured or validated.	Product Description	
Gene SymbolDMPKSpeciesHumanPreparation Methodin vitro wheat germ expression systemDetails of FunctionalityThis protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity, the functionality of this protein has not been explicitly measured or validated.	Description	acids 1-629 of Human DMPK Source : <i>Wheat Germ (in vitro)</i> Amino Acid Sequence : MSAEVRLRRLQQLVLDPGFLGLEPLLDLLLGVHQELGASELAQDKYVADFLQW AEPIVVRLKEVRLQRDDFEILKVIGRGAFSEVAVVKMKQTGQVYAMKIMNKWD MLKRGEVSCFREERDVLVNGDRRWITQLHFAFQDENYLYLVMEYYVGGDLLTL LSKFGERIPAEMARFYLAEIVMAIDSVHRLGYVHRDIKPDNILLDRCGHIRLADFG SCLKLRADGTVRSLVAVGTPDYLSPEILQAVGGGPGTGSYGPECDWWALGVF AYEMFYGQTPFYADSTAETYGKIVHYKEHLSLPLVDEGVPEEARDFIQRLLCPP ETRLGRGGAGDFRTHPFFFGLDWDGLRDSVPPFTPDFEGATDTCNFDLVEDG LTAMVSGGGETLSDIREGAPLGVHLPFVGYSYSCMALRDSEVPGPTPMELEAE QLLEPHVQAPSLEPSVSPQDETAEVAVPAAVPAAEAEAEVTLRELQEALEEEVL TRQSLSREMEAIRTDNQNFASQLREAEARNRDLEAHVRQLQERMELLQAEGA TAVTGVPSPRATDPPSHLDGPPAVAVGQCPLVGPGPMHRRHLLLPARVPRPG
SpeciesHumanPreparation Methodin vitro wheat germ expression systemDetails of FunctionalityThis protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity, the functionality of this protein has not been explicitly measured or validated.	Gene ID	1760
Preparation Methodin vitro wheat germ expression systemDetails of FunctionalityThis protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity, the functionality of this protein has not been explicitly measured or validated.	Gene Symbol	DMPK
Details of FunctionalityThis protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity, the functionality of this protein has not been explicitly measured or validated.	Species	Human
should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity, the functionality of this protein has not been explicitly measured or validated.	Preparation Method	in vitro wheat germ expression system
Notes This product is produced by and distributed for Abnova, a company based in	Details of Functionality	should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity,
Taiwan.	Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.
Product Application Details	Product Application Details	
Applications Western Blot, ELISA, Protein Array, Immunoaffinity Purification	Applications	Western Blot, ELISA, Protein Array, Immunoaffinity Purification
	Recommended Dilutions	Western Blot, ELISA, Protein Array, Immunoaffinity Purification
	Gene Symbol Species Preparation Method Details of Functionality	DMPK Human in vitro wheat germ expression system This protein was produced in an in vitro wheat germ expression system that should preserve correct conformational folding that is necessary for biological function. While it is possible that this protein could display some level of activity, the functionality of this protein has not been explicitly measured or validated. This product is produced by and distributed for Abnova, a company based in
	Recommended Dilutions	Western Blot, ELISA, Protein Array, Immunoaffinity Purification

www.novusbio.com



Images		
12.5% SDS-PAGE Stained with Coomassie Blue.	175 - 83 - 62 - 47.5 -	
	32.5-	

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to H00001760-P01-10ug

NBP1-85011PEP	DMPK Recombinant Protein Antigen
210-TA-005	TNF-alpha [Unconjugated]
MAB6967	DMPK Antibody (713931)
291-G1-200	IGF-I/IGF-1 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Peptides and proteins are guaranteed for 3 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00001760-P01

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

