

Product Datasheet

TCP1-eta Antibody (1D6) - Azide and BSA Free H00010574-M01

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H00010574-M01

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H00010574-M01



H00010574-M01


TCP1-eta Antibody (1D6) - Azide and BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	1D6
Preservative	No Preservative
Isotype	IgG1 Kappa
Purity	IgG purified
Buffer	In 1x PBS, pH 7.4
Product Description	
Description	Novus Biologicals Mouse TCP1-eta Antibody (1D6) - Azide and BSA Free (H00010574-M01) is a monoclonal antibody validated for use in WB and ELISA. Anti-TCP1-eta Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	10574
Gene Symbol	CCT7
Species	Human, Mouse, Rat
Specificity/Sensitivity	CCT7 - chaperonin containing TCP1, subunit 7 (eta)
Immunogen	CCT7 (AAH19296, 425 a.a. ~ 528 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. RTIPGKQQLLIGAYAKALEIIPRQLCDNAGFDATNILNKLRRARHAQGGTWTYGVDI NNEDIADNFEAFVWEPAMVRINALTAASEAACLIVSVDETIKNPRSTVD
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.
Product Application Details	
Applications	Western Blot, ELISA
Recommended Dilutions	Western Blot 1:500, ELISA
Application Notes	Antibody reactive against cell lysate, transfected lysate and recombinant protein for western blot. It has also been used for ELISA.




Images


Western Blot: TCP1-eta Antibody (1D6) [H00010574-M01] - CCT7 monoclonal antibody (M01), clone 1D6. Analysis of CCT7 expression in human pancreas.




Western Blot: TCP1-eta Antibody (1D6) [H00010574-M01] - Western Blot analysis of CCT7 expression in K-562 (Cat # L009V1).




Western Blot: TCP1-eta Antibody (1D6) [H00010574-M01] - CCT7 monoclonal antibody (M01), clone 1D6. Analysis of CCT7 expression in PC-12.




Western Blot: TCP1-eta Antibody (1D6) [H00010574-M01] - CCT7 monoclonal antibody (M01), clone 1D6. Analysis of CCT7 expression in 293.




Western Blot: TCP1-eta Antibody (1D6) [H00010574-M01] - CCT7 monoclonal antibody (M01), clone 1D6 Analysis of CCT7 expression in HL-60.




Western Blot: TCP1-eta Antibody (1D6) [H00010574-M01] - CCT7 monoclonal antibody (M01), clone 1D6. Analysis of CCT7 expression in Raw 264.7.




Western Blot: TCP1-eta Antibody (1D6) [H00010574-M01] - CCT7 monoclonal antibody (M01), clone 1D6. Analysis of CCT7 expression in NIH/3T3.




Western Blot: TCP1-eta Antibody (1D6) [H00010574-M01] - CCT7 monoclonal antibody (M01), clone 1D6. Analysis of CCT7 expression in K-562.



Western Blot: TCP1-eta Antibody (1D6) [H00010574-M01] - Analysis of CCT7 expression in transfected 293T cell line by CCT7 monoclonal antibody (M01), clone 1D6. Lane 1: CCT7 transfected lysate(59.4 KDa). Lane 2: Non-transfected lysate.



ELISA: TCP1-eta Antibody (1D6) [H00010574-M01] - Detection limit for recombinant GST tagged CCT7 is approximately 0.3ng/ml as a capture antibody.



Publications

Pines A, Dijk M, Makowski M et al. TRiC controls transcription resumption after UV damage by regulating Cockayne syndrome protein A. Nat Commun 2018-03-12 [PMID: 29531219]

Freund A, Zhong FI, Venteicher As et al. Proteostatic Control of Telomerase Function through TRiC-Mediated Folding of TCAB1. Cell. [PMID: 25467444]

Details:

Citation using the Azide Free form of this antibody.



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to H00010574-M01

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00010574-M01

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

