

Product Datasheet

DIP13B Antibody - Azide and BSA Free H00055198-B01P

Unit Size: 0.05 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H00055198-B01P

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H00055198-B01P



H00055198-B01P

DIP13B Antibody - Azide and BSA Free

Product Information	
Unit Size	0.05 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Protein A purified
Buffer	PBS (pH 7.4)


Product Description	
Description	Novus Biologicals Mouse DIP13B Antibody - Azide and BSA Free (H00055198-B01P) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-DIP13B Antibody: Cited in 5 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	55198
Gene Symbol	APPL2
Species	Human, Mouse, Rat
Specificity/Sensitivity	APPL2 - adaptor protein, phosphotyrosine interaction, PH domain and leucine zipper containing 2,
Immunogen	APPL2 (AAH33731.1, 1 a.a. - 664 a.a.) full-length human protein. MPAVDKLLLEEALQDSPQTRSLLSVFEEDAGTLTDYTNQLLQAMQRVYGAQNE MCLATQQLSKQLLAYEKQNFALGKGDEEVISTLHYFSKVDELNLLHTELAQQL ADTMVLPPIIQFREKDLTEVSTLKDLFGLASNEHDLMAKYSRLPKKKENEKVKT EVGKEVAAARRKQHLSSLQYYCALNALQYRKQMAMMEPMIGFAHGQINFFKK GAEMFSKRMDLSFLSSVADMVQSIQVELEAEAEKMRVSQQEELLSVDES VYTPD SDVAAPQINRNLIQKAGYLNLRNKTGLVTTTWERLYFFTQGGNLMCQPRGAVA GGLIQDLNCSVMVDCEDRRYCFQITTPNGKSGIILQAESRKENEWEICAINNI SRQIYLTDNPEAVAIAIKLNQ TALQAVTPITSFGKKQE SSCP S QNLKNSEME NEND KIVPKVTASLPEAEELIAPGTPIQFDIVLPATEFLDQNRGSRRTNPFGETEDESFP EAEDSLLQQMFIVRFLGSMVAVKTDSTTEVIYEAMRQVLAARAIHNIFRMTESHL MVTSQSLRLIDPQTQVSRANFELTSVTQFAAHQENKRLVGFVIRVPESTGEESL STYIFESNSEGEKICYAINLGKEIIEVQKDPEALAQMLSIPLTNDGKYVLLNDQP DDDDGNPNEHRGA ESEA
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.

Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence
Application Notes	Antibody reactive against Recombinant Protein with GST tag on ELISA and Western Blot and also on transfected lysate in western blot. GST tag alone is used as a negative control. It is also useful for immunofluorescence.




Images


Western Blot: DIP13B Antibody [H00055198-B01P] - Analysis of APPL2 expression in rat brain.



Immunocytochemistry/Immunofluorescence: DIP13B Antibody [H00055198-B01P] - Analysis of purified antibody to APPL2 on HeLa cell. (antibody concentration 10 ug/ml)



Western Blot: DIP13B Antibody [H00055198-B01P] - Analysis of DIP13B expression in transfected 293T cell line by DIP13B MaxPab polyclonal antibody. Lane 1: DIP13B transfected lysate (73.04 KDa). Lane 2: Non-transfected lysate.



Publications

Kostopoulou N, Bellou S, Bagli E et al. Embryonic stem cells are devoid of macropinocytosis, a trafficking pathway for activin A in differentiated cells J Cell Sci 2021-07-28 [PMID: 34313314]

Nikoleta K, Sofia B, Eleni B et al. Embryonic stem cells are devoid of macropinocytosis, a trafficking pathway for activin a in differentiated cells. J Cell Sci. 2021-07-12 [PMID: 34114624]

Wang B, Li A, Li X et al. Activation of hypothalamic RIP-Cre neurons promotes beiging of WAT via sympathetic nervous system. EMBO Rep 2018-02-21 [PMID: 29467283]

Dadson K, Kovacevic V, Rengasamy P et al. Cellular, structural and functional cardiac remodelling following pressure overload and unloading. Int J Cardiol 2016-04-23 [PMID: 27140334]

Cleasby ME, Lau Q, Polkinghorne E et al. The adaptor protein APPL1 increases glycogen accumulation in rat skeletal muscle through activation of the PI3-kinase signalling pathway. J Endocrinol. 2011-05-04 [PMID: 21543456]

**Novus Biologicals USA**

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to H00055198-B01P

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97019-5mg	Mouse IgG Isotype Control
H00055198-P01-10ug	Recombinant Human DIP13B GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00055198-B01P

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

