Product Datasheet

Pepsinogen A Antibody (961902) - Azide and BSA Free MAB9350

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/MAB9350

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/MAB9350



MAB9350

inogen A Antibody (961902) - Azide and BSA Free


Pepsinogen A Antibody (961902) - Azide and BSA Free	
Product Information	
Unit Size	100 ug
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	961902
Preservative	No Preservative
Isotype	IgG1
Purity	Protein A or G purified
Buffer	PBS
Product Description	
Host	Rat
Gene ID	643847
Gene Symbol	PGA4
Species	Human
Immunogen	Mouse myeloma cell line NS0-derived recombinant human Pepsinogen A4/PGA4 Ile16-Ala388 Accession # P00790
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Decemmended Dilutions	Western Blot 2 us/ml Immunohistochemistry 1 2 us/ml Immunohistochemistry

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 2 ug/ml, Immunohistochemistry 1 - 2 ug/ml, Immunohistochemistry-Paraffin 1 - 2 ug/ml




Images

Western Blot: Pepsinogen A Antibody (961902) [MAB9350] - Analysis of human stomach tissue lysate with 2 ug/ml of hPGA-4 Monoclonal Antibody followed by HAF005. A specific band was detected for hPGA-4 at approximately45 kDA (as indicated). This experiment was conducted under reducing conditions and using Immunoblot Buffer Group 1.



Immunohistochemistry: Pepsinogen A Antibody (961902) [MAB9350] - Pepsinogen A was detected in immersion fixed paraffin-embedded sections of human stomach using Pepsinogen A Monoclonal Antibody at 1.7 ug/ml. Tissue was stained using Rat IgG VisUCyte HRP Polymer Antibody (brown) and counterstained with hematoxylin (blue). Specific staining was localized to the cytoplasm in epithelial cells.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to MAB9350

HAF005 Goat anti-Rat IgG Secondary Antibody [HRP]

F0105B Goat anti-Rat IgG Secondary Antibody [Phycoerythrin]

DDXCR01 Rat IgG1 Isotype Control

MMP200 MMP-2 [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/MAB9350

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

