Product Datasheet

ARIH2 Antibody NB100-1163

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-1163

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-1163



NB100-1163


ARIH2 Antibody

AINII 12 AIIIIDUUY	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Host	Goat
Gene ID	10425
Gene Symbol	ARIH2
Species	Human, Mouse
Immunogen	Peptide with sequence C-EQRRRTLLKDFHDT corresponding to C-Terminus according to NP_006312.1.
Product Application Details	
Applications	Western Blot, Immunoprecipitation, Peptide ELISA
Recommended Dilutions	Western Blot 1 - 3 ug/ml, Immunoprecipitation 1:10 - 1:500, Peptide ELISA Detection limit 1:8000

Product Application Details	
Applications	Western Blot, Immunoprecipitation, Peptide ELISA
Recommended Dilutions	Western Blot 1 - 3 ug/ml, Immunoprecipitation 1:10 - 1:500, Peptide ELISA Detection limit 1:8000
Application Notes	IF: An anonymous customer has reported nuclear staining in DAPI. IP: work well is noted. WB: Approx. 60 kDa band observed in nuclear lysates of Hela and K562 (calculated MW of 57.8 kDa band according to NP_006312.1). An anonymous customer has reported an approx. 60 kDa band in lysates of both human HeLa and mouse muscle (IM2 & C2C12) cells. This band disappeared after RNAi knock-down (calculated MW of 57.8 kDa band according to NP_006312.1).

Images

Western Blot: ARIH2 Antibody [NB100-1163] - Analysis of Hela (A) and K562 (B) nuclear lysates (35ug protein in RIPA buffer).



Publications

van der Reijden BA, Erpelinck-Verschueren CA, Lowenberg B, Jansen JH. TRIADs: a new class of proteins with a novel cysteine-rich signature. Protein Sci 1999-07-01 [PMID: 10422847]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-1163

NBL1-07686 ARIH2 Overexpression Lysate

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1163

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



