# **Product Datasheet**

# Trim11 Antibody NB100-1214

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-1214

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-1214



## NB100-1214

Trim11 Antibody

Tillit i Antibody	
0.1 mg	
0.5 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Novus Biologicals Goat Trim11 Antibody (NB100-1214) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-Trim11 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Goat	
81559	
TRIM11	
Human	
Peptide with sequence CRPKGGSGDTLAPQ corresponding to C-Terminus according to NP_660215.1.	
Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA	
Western Blot 1:100 - 1:2000, Immunohistochemistry 4 - 6 ug/ml, Immunohistochemistry-Paraffin 4 - 6 ug/ml, Peptide ELISA Detection limit 1:32000	
WB: Preliminary experiments in human heart, kidney, liver and lung lysates gave no specific signal but low background. IHC-P: Human kidney shows cytoplasm staining preferentially in PCT over DCT. BTrim11 antibody validated for WB from a verified customer review.	




# Images

Western Blot: Trim11 Antibody [NB100-1214] - Trim11 in human D54 malignant glioma cell line. Image provided by Kaijun Di.

D54-MG
siTRIM11 - +
TRIM11

Immunohistochemistry-Paraffin: Trim11 Antibody [NB100-1214] - (4ug/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.



Actin

#### **Publications**

Reymond A, Meroni G, Fantozzi A et al. The tripartite motif family identifies cell compartments. EMBO J 2001-05-01 [PMID: 11331580]



## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NB100-1214**

NBL1-17275 Trim11 Overexpression Lysate

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1214

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



