

Product Datasheet

DOK5 Antibody NB100-1463

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1463

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1463



NB100-1463**DOK5 Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA


Product Description	
Description	Novus Biologicals Goat DOK5 Antibody (NB100-1463) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-DOK5 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	55816
Gene Symbol	DOK5
Species	Human
Immunogen	Peptide with sequence CLHRTETFPAYRSEH corresponding to C-Terminus according to NP_060901.2.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA
Recommended Dilutions	Western Blot 1 - 3 ug/ml, Immunohistochemistry 1 - 2 ug/ml, Immunohistochemistry-Paraffin 1 - 2 ug/ml, Peptide ELISA Detection limit 1:16000
Application Notes	WB: In transfected HEK293 transiently expressing DOK5 a band of approx. 38 kDa is observed. This band is not observed in the non-transfected HEK293. The calculated molecular size is 35.5 kDa band according to NP_060901.2. IHC-P: Tonsil stains scattered cells in the interfollicular area compatible with mast cells.




Images


Western Blot: DOK5 Antibody [NB100-1463] - Analysis of DOK5 in Human Kidney lysate (35 ug protein in RIPA buffer) using this antibody at 0.1 ug/ml.



Immunohistochemistry-Paraffin: DOK5 Antibody [NB100-1463] - IHC staining of paraffin embedded Human Tonsil using this antibody at 1 ug/ml. Microwaved antigen retrieval with citrate buffer pH6, HRP-staining.



Western Blot: DOK5 Antibody [NB100-1463] - HEK293 overexpressing DOK5 and probed with (mock transfection in first lane).



Publications

Cai D, Dhe-Paganon S, Melendez PA et al. Two new substrates in insulin signaling, IRS5/DOK4 and IRS6/DOK5. J Biol Chem 2003-07-11 [PMID: 12730241]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-1463

NBL1-09980	DOK5 Overexpression Lysate
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1463

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



