Product Datasheet

GAD2/GAD65 Antibody NB100-1506

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-1506

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-1506



NB100-1506

GAD2/GAD65 Antibody

GADZI GADGO A Milisody	
Product Information	
0.1 mg	
0.5 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Product Description	
Goat	
2572	
GAD2	
Human	
GABAergic Neuronal Marker	
This antibody is expected to recognise both reported variants.	
Peptide with sequence C-TLEDNEERMSRLSK corresponding to internal region according to NP_000809.1, NP_001127838.1.	
Product Application Details	
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA	
Western Blot 0.5-1.5 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 6-8 ug/ml, Peptide ELISA Detection limit 1:32000	
WB: Approx 65kDa band observed in Human Brain (Hippocampus) lysates (calculated MW of 65.4kDa according to NP_000809.1). Primary incubation was 1 hour.	



Page 2 of 4 v.20.1 Updated 10/23/2024 **Images** 250kDa 150kDa 100kDa Western Blot: GAD2/GAD65 Antibody [NB100-1506] - (0.5ug/ml) staining of Human Brain (Hippocampus) lysate (35ug protein in RIPA buffer). Detected by chemiluminescence. 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa Immunohistochemistry-Paraffin: GAD2/GAD65 Antibody [NB100-1506] -Negative Control showing staining of paraffin embedded Human Cortex, with no primary antibody. Immunohistochemistry-Paraffin: GAD2/GAD65 Antibody [NB100-1506] -

(6ug/ml) staining of paraffin embedded Human Cortex. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



Publications

Meyre D, Boutin P, Tounian A et al. Is Glutamate Decarboxylase 2 (GAD2) a genetic link between low birth weight and subsequent development of obesity in children? J Clin Endocrinol Metab 2005-01-25 [PMID: 15671113]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-1506

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

H00002572-P02-10ug Recombinant Human GAD2/GAD65 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1506

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



