

Product Datasheet

Asporin Antibody NB100-1514

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1514

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1514



NB100-1514**Asporin Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Target Molecular Weight	43 kDa


Product Description	
Description	Novus Biologicals Goat Asporin Antibody (NB100-1514) is a polyclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. Anti-Asporin Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	54829
Gene Symbol	ASPN
Species	Human, Mouse, Rat
Immunogen	Peptide with sequence C-IHENKVKKIQKDT corresponding to internal region according to NP_060150.3.

Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Peptide ELISA
Recommended Dilutions	Western Blot 0.1-1 ug/ml, ELISA 1:100 - 1:2000, Immunocytochemistry/ Immunofluorescence 10 ug/ml, Peptide ELISA detection limit 1:64000




Images

Western Blot: Asporin Antibody [NB100-1514] - (0.1ug/ml) staining of Human Tonsil (A), (0.3ug/ml) Human Uterus (B), Mouse Skeletal Muscle (C) (1ug/ml) Rat Skeletal Muscle (D) and negative control Human Cerebellum (E) lysate (35ug protein in RIPA buffer). Detected by chemiluminescence.



Immunocytochemistry/Immunofluorescence: Asporin Antibody [NB100-1514] - analysis of paraformaldehyde fixed HeLa cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (4ug/ml), showing nuclear membrane staining. The nuclear stain is DAPI



Publications

Medzikovic L, Aryan L, Ruffenach G et al. Myocardial fibrosis and calcification are attenuated by microRNA-129-5p targeting Asporin and Sox9 in cardiac fibroblasts JCI insight 2023-05-08 [PMID: 37154157] (IHC, Human)

Bala K, Cuellar A, Herren AW, Boyadjiev SA Identification of differentially expressed proteins between fused and open sutures in sagittal nonsyndromic craniosynostosis during suture development by quantitative proteomic analysis Proteomics. Clinical applications 2021-02-13 [PMID: 33580899]

Kizawa H, Kou I, Iida A et al. An aspartic acid repeat polymorphism in asporin inhibits chondrogenesis and increases susceptibility to osteoarthritis. Nat Genet 2005-02-01 [PMID: 15640800]

Yang L, Nyalwidhe JO, Guo S et al. Targeted identification of metastasis-associated cell-surface sialoglycoproteins in prostate cancer. Mol Cell Proteomics. 2011-06-01 [PMID: 21447706]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-1514

NB100-1514PEP	Asporin Peptide
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1514

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



