Product Datasheet

NANOS1 Antibody NB100-1781

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-1781

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-1781



NB100-1781

NANOS1 Antibody

_		
Product Information		
Unit Size	0.1 mg	
Concentration	0.5 mg/ml	
Storage	Store at -20C. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.02% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Product Description		
Description	Novus Biologicals Goat NANOS1 Antibody (NB100-1781) is a polyclonal	

Product Description		
Description	Novus Biologicals Goat NANOS1 Antibody (NB100-1781) is a polyclonal antibody validated for use in WB and ELISA. Anti-NANOS1 Antibody: Cited in 5 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Host	Goat	
Gene ID	340719	
Gene Symbol	NANOS1	
Species	Human	
Immunogen	Peptide with sequence C-SARDGPPGKKLR corresponding to C-Terminus according to NP_955631.1.	

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 1 - 3 ug/mL, Peptide ELISA Detection limit 1:64000
Application Notes	WB: Approx. 35-37 kDa band observed in human testis lysates is reported in scientific literature (PMID: 14962983).

Images	
Western Blot: NANOS1 Antibody [NB100-1781] - Staining of Human Testis lysate (35 ug protein in RIPA buffer). Antibody at 0.3 ug/mL. Detected by chemiluminescence.	250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

Publications

Calo E, Gu B, et al. Tissue-selective effects of nucleolar stress and rDNA damage in developmental disorders. Nature 2018-02-01 [PMID: 29364875]

Flynn RA, Do BT, Rubin AJ et al. 7SK-BAF axis controls pervasive transcription at enhancers. Nat Struct Mol Biol 2016-03-01 [PMID: 26878240]

Calo E, Flynn RA, Martin L et al. RNA helicase DDX21 coordinates transcription and ribosomal RNA processing. Nature 2015-02-12 [PMID: 25470060] (WB)

Jaruzelska J, Kotecki M, Kusz K et al. Conservation of a Pumilio-Nanos complex from Drosophila germ plasm to human germ cells. Dev Genes Evol 2003-04-01 [PMID: 12690449]

Clark AT, Bodnar MS, Fox M et al. Spontaneous differentiation of germ cells from human embryonic stem cells in vitro. Hum Mol Genet 2004-04-01 [PMID: 14962983]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-1781

NB820-59266 Human Testis Whole Tissue Lysate (Adult Whole Normal)

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1781

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



