

Product Datasheet

HNF-4 alpha/NR2A1 Antibody NB100-1783

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1783

Updated 10/23/2024 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1783



NB100-1783**HNF-4 alpha/NR2A1 Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA


Product Description	
Host	Goat
Gene ID	3172
Gene Symbol	HNF4A
Species	Human, Primate
Reactivity Notes	Primate reactivity reported in scientific literature (PMID18561282).
Specificity/Sensitivity	This antibody is expected to recognise the reported isoforms a, b and c (NP_849180.1; NP_000448.3; NP_849181.1 resp.).
Immunogen	Peptide with sequence RLSKTLVDMDMADY-C corresponding to N-Terminus according to NP_849180.1, NP_000448.3, NP_849181.1.

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Western Blot 0.1-0.5 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 2 ug/ml, Peptide ELISA Detection limit 1:32000
Application Notes	WB: Approx 55kDa and 48kDa bands observed in lysates of cell line HepG2 (calculated MW of 52.8kDa according to Human NP_000448.3 , 46.6kDa according to Human NP_849181.1). Primary incubation was 1 hour.



Images

Immunohistochemistry-Paraffin: HNF-4 alpha/NR2A1 Antibody [NB100-1783] - Staining of Human Small Intestine. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Western Blot: HNF-4 alpha/NR2A1 Antibody [NB100-1783] - (0.1ug/ml) staining of HepG2 lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa
10kDa

Publications

Clark AJ, Saade MC, Vemireddy V et al. Hepatocyte nuclear factor 4 α mediated quinolinate phosphoribosyltransferase (QPRT) expression in the kidney facilitates resilience against acute kidney injury *Kidney international* 2023-09-30 [PMID: 37783445]

Clark A, Saade M, Vemireddy V et al. HNF4 α mediated QPRT expression in the kidney facilitates resilience against acute kidney injury *bioRxiv* 2023-05-25 (ChIP, Mouse)

Damcott CM, Hoppman N, Ott SH et al. Polymorphisms in both promoters of hepatocyte nuclear factor 4-alpha are associated with type 2 diabetes in the Amish. *Diabetes* 2004-12-01 [PMID: 15561969]

Huang J, Levitsky LL, Rhoads DB et al. Novel P2 promoter-derived HNF4alpha isoforms with different N-terminus generated by alternate exon insertion. *Exp Cell Res* 2009-04-15 [PMID: 19353766]

Huang J, Karakucuk V, Levitsky LL et al. Expression of HNF4alpha variants in pancreatic islets and Ins-1 beta cells. *Diabetes Metab Res Rev* 2008-10-01 [PMID: 18561282] (WB, Primate)

Wang SH, Yeh SH, Lin WH, Yeh KH, Yuan Q, Xia NS, Chen DS, Chen PJ. Estrogen Receptor alpha Represses Transcription of HBV Genes via Interaction With Hepatocyte Nuclear Factor 4alpha. *Gastroenterology*;142(4):989-998. 2012-04-01 [PMID: 22240483] (WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-1783

NB820-59242	Human Lymph Node Whole Tissue Lysate (Adult Whole Normal)
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1783

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



