

Product Datasheet

Cathepsin F Antibody NB100-1784

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1784

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1784



NB100-1784**Cathepsin F Antibody****Product Information**

Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA

Product Description

Description	Novus Biologicals Goat Cathepsin F Antibody (NB100-1784) is a polyclonal antibody validated for use in WB and ELISA. Anti-Cathepsin F Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	8722
Gene Symbol	CTSF
Species	Human
Immunogen	Peptide with sequence CGVNTMASSAVVD corresponding to C-Terminus according to NP_003784.2.

Product Application Details

Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 0.3 - 1 ug/ml, Peptide ELISA Detection limit 1:32000
Application Notes	WB: Experiments gave bands at approx. 30 kDa band and 35 kDa band in human prostate and ovary lysates after 0.3ug/ml antibody staining. These bands correspond to earlier findings are reported in scientific literature with different antibodies (PMID: 9822672). This protein has a calculated MW of 53.4 kDa band according to NP_003784.2.

Images

Western Blot: Cathepsin F Antibody [NB100-1784] - (0.3ug/ml) staining of Human Ovary lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa
10kDa

Publications

Dorn A, Zhao H, Granberg F et al. Identification of specific cellular genes up-regulated late in adenovirus type 12 infection. J Virol 2005-02-01 [PMID: 15681441]

da Silva Ferreira ME, Savoldi M, Sueli Bonato P et al. Fungal metabolic model for tyrosinemia type 3: molecular characterization of a gene encoding a 4-hydroxy-phenyl pyruvate dioxygenase from *Aspergillus nidulans*. Eukaryot Cell 2006-08-01 [PMID: 16896227]

Maubach G, Lim MCC, Zhuo L. Nuclear Cathepsin F Regulates Activation Markers in Rat Hepatic Stellate Cells. Mol Biol Cell :E08-03-0291. 2008-01-01 [PMID: 18667530]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-1784

NB820-59243	Human Ovary Whole Tissue Lysate (Adult Whole Normal)
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1784

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



