Product Datasheet

Aminopeptidase A/ENPEP Antibody NB100-1885

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-1885

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-1885



NB100-1885

Aminopeptidase A/ENPEP Antibody

Aminopepilaase A/ENPEP Antibody	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Host	Goat
Gene ID	2028
Gene Symbol	ENPEP
Species	Human, Rat
Reactivity Notes	Rat reactivity in WB reported in scientific literature (PMID: 28399178).
Immunogen	Peptide with sequence C-EQYQKTSLAQEKEK corresponding to internal region according to NP_001968.3.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Western Blot 1 - 3 ug/mL, Immunohistochemistry 3 - 5 ug/mL, Immunohistochemistry-Paraffin 3 - 5 ug/mL, Peptide ELISA Detection limit 1:64000
Application Notes	WB: Approx 170 kDa band observed in human brain and testis lysates (calculated MW of 109 kDa according to NP_001968.2). The observed molecular weight corresponds to earlier findings in literature with different antibodies (PMID: 11994381). IHC: Human kidney shows staining of basement membrane

and the mesangium in the glomerulus.



Images

Western Blot: Aminopeptidase A/ENPEP Antibody [NB100-1885] - Staining of human testis lysate (RIPA buffer, 30 ug total protein). Antibody at 1 ug/mL. Detected by chemiluminescence.

250kDa 150kDa 100kDa

75kDa

50kDa


37kDa

25kDa

20kDa

15kDa

Immunohistochemistry-Paraffin: Aminopeptidase A/ENPEP Antibody [NB100-1885] - Staining of paraffin embedded Human Kidney. Antibody at 3.75 ug/mL. Steamed antigen retrieval with citrate buffer pH 6, APstaining.



Publications

Ando H, Nagasaka T, Nomura M et al. Premenstrual disappearance of aminopeptidase A in endometrial stromal cells around endometrial spiral arteries/arterioles during the decidual change. J Clin Endocrinol Metab 2002-05-01 [PMID: 11994381]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-1885

NB820-59177 Human Brain Whole Tissue Lysate (Adult Whole Normal)

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1885

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



