# **Product Datasheet**

# UbcH7/UBE2L3 Antibody - BSA Free NB100-2265

Unit Size: 100 uL

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-2265

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-2265



# NB100-2265


UbcH7/UBE2L3 Antibody - BSA Free

ree	
Product Information	
100 uL	
1.0 mg/ml	
Store at 4C. Do not freeze.	
Polyclonal	
0.09% Sodium Azide	
IgG	
Immunogen affinity purified	
Tris-Citrate/Phosphate (pH 7.0 - 8.0)	
Rabbit	
7332	
UBE2L3	
Human, Mouse	
The immunogen recognized by this antibody maps to a region between residue 100 and the C-terminus (residue 154) of human Ubiquitin-Conjugating Enzyme H7 using the numbering given in entry NP_003338.1 (GeneID 7332).	
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation	
Western Blot 1:2000 - 1:10000, Immunohistochemistry 1:1000 - 1:5000, Immunoprecipitation 2 - 5 ug / mg lysate, Immunohistochemistry-Paraffin 1:1000 - 1:5000	
This UbcH7/UBE2L3 antibody is validated for IHC-P from a verified customer review. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. Immunoprecipitation: efficiency in IP is low.	




#### **Images**


Western Blot: UbcH7/UBE2L3 Antibody [NB100-2265] - Detection of Human and Mouse UBCH7 one HeLa whole cell lysate using NB100-2265.



Immunohistochemistry-Paraffin: UbcH7/UBE2L3 Antibody [NB100-2265] - FFPE section of human prostate carcinoma. Affinity purified rabbit anti-UBCH7 antibody used at a dilution of 1:1000 (1 ug/mL). Detection: DAB.



Immunohistochemistry-Paraffin: UbcH7/UBE2L3 Antibody [NB100-2265] - Human breast tumors stained with UbcH7 antibody. IHC-P image submitted by a verified customer review.



#### **Publications**

Mayca Pozo F, Geng X, Tamagno I et al. MYO10 drives genomic instability and inflammation in cancer Science Advances 2021-09-17 [PMID: 34524844] (Immunocytochemistry/ Immunofluorescence)

Mayca Pozo, F;Geng, X;Miyagi, M;Amin, AL;Huang, AY;Zhang, Y; MYO10 regulates genome stability and cancer inflammation through mediating mitosis Cell reports 2023-05-30 [PMID: 37200188]

Mayca Pozo F, Tang J, Bonk KW et al. Regulatory crosstalk determines the cellular levels of 53BP1, a critical factor in DNA repair. J. Biol. Chem. 2017-03-02 [PMID: 28255090] (WB, Human)





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NB100-2265**

NBL1-17537 UbcH7/UBE2L3 Overexpression Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-2265

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

