

Product Datasheet

Phosphodiesterase 4D Antibody

NB100-2462

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-2462

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-2462




NB100-2462**Phosphodiesterase 4D Antibody**


| Product Information | |
|------------------------------------|---|
| Unit Size | 0.1 mg |
| Concentration | 0.5 mg/ml |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.02% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA |
| Product Description | |
| Host | Goat |
| Gene ID | 5144 |
| Gene Symbol | PDE4D |
| Species | Human, Mouse |
| Specificity/Sensitivity | This antibody is expected to recognize all reported isoforms. |
| Immunogen | Peptide with sequence QPEACVIDDRSPDT corresponding to C-Terminus according to NP_001184151.1, NP_001184150.1, NP_006194.2, NP_001098101.1, NP_001184152.1, NP_001159371.1. |
| Product Application Details | |
| Applications | Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA |
| Recommended Dilutions | Western Blot 0.1 - 0.3 ug/ml, ELISA 1:200, Immunohistochemistry, Immunohistochemistry-Paraffin 5 ug/ml, Peptide ELISA Detection limit 1:128000 |
| Application Notes | ELISA successful usage is reported in scientific literature (PMID: 19939455). WB: Approx. 70+80+90 kDa band bands observed in lysates of A549. In transfected COS1 transiently expressing PDE4D1 and PDE4D3 bands of approx. 68 kDa and 95 kDa are observed. These bands are not observed in the untransfected COS1. In transfected HEK293 transiently expressing PDE4D2 multi bands from approx. 55 kDa to 80 kDa are observed. These bands are not observed in the non-transfected HEK293. Calculated MW of 91.1 kDa band according to PDE4D1 (NP_001098101.1), 76.5 kDa band according to PDE4D2 (NP_006194.2) and 84.7 kDa band according to PDE4D3 (NP_001159371.1). IHC: Paraffin embedded Human Skeletal Muscle and Heart. |

Images


Western Blot: Phosphodiesterase 4D Antibody [NB100-2462] - HEK293 overexpressing Human PDE4D2 and probed with (mock transfection in first lane).




Immunohistochemistry-Paraffin: Phosphodiesterase 4D Antibody [NB100-2462] - staining of paraffin embedded Human Skeletal Muscle. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Western Blot: Phosphodiesterase 4D Antibody [NB100-2462] - (1ug/ml) of COS cell lysates (25ug protein): transfected with Human PDE4D1 (1), transfected with Human PDE4D3 (2), untransfected (3). Primary incubation was 1 hour. Detected by chemiluminescence.



Immunohistochemistry-Paraffin: Phosphodiesterase 4D Antibody [NB100-2462] - staining of paraffin embedded Human Heart. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Publications

Houslay MD. The long and short of vascular smooth muscle phosphodiesterase-4 as a putative therapeutic target. Mol Pharmacol 2005-09-01 [PMID: 15958394]

Bazhin AV, Kahnert S, Kimpfler S et al. Distinct metabolism of cyclic adenosine monophosphate in regulatory and helper CD4(+) T cells. Mol Immunol 2009-11-23 [PMID: 19939455]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-2462

| | |
|-----------------|--|
| HAF017 | Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)] |
| HAF109 | Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)] |
| NB410-28088-1mg | Goat IgG Isotype Control |
| NBP1-92265PEP | Phosphodiesterase 4D Recombinant Protein Antigen |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-2462

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



