## **Product Datasheet**

### Speedy/Ringo Antibody [DyLight 350] NB100-2521UV

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-2521UV

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-2521UV



#### NB100-2521UV

Speedy/Ringo Antibody [DyLight 350]

Unit Size   0.1 ml     Concentration   Please see the vial label for concentration. If unlisted please contact technical services.     Storage   Store at 4C in the dark.     Clonality   Polyclonal     Preservative   0.05% Sodium Azide     Isotype   IgG     Conjugate   DyLight 350     Purity   Immunogen affinity purified     Buffer   50mM Sodium Borate     Product Description   Rabbit     Gene ID   245711     Gene Symbol   SPDYA     Species   Human, Mouse, Rat, Sheep     Reactivity Notes   Sheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 19075091).     Immunogen   A synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2.	Product Information	
services.   Storage Store at 4C in the dark.   Clonality Polyclonal   Preservative 0.05% Sodium Azide   Isotype IgG   Conjugate DyLight 350   Purity Immunogen affinity purified   Buffer 50M Sodium Borate   Product Description Rabbit   Gene ID 245711   Gene Symbol SPDYA   Species Human, Mouse, Rat, Sheep   Reactivity Notes Sheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity (Swiss-Prot QSMJ69)	Unit Size	0.1 ml
Clonality Polyclonal   Preservative 0.05% Sodium Azide   Isotype IgG   Conjugate DyLight 350   Purity Immunogen affinity purified   Buffer 50mM Sodium Borate   Product Description Rabbit   Host Rabbit   Gene ID 245711   Gene Symbol SPDYA   Species Human, Mouse, Rat, Sheep   Reactivity Notes Sheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 19075091).   Immunogen A synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]   Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   Product Application Details Western Blot, Immunohistochemistry-Immunofluorescence, Immunohistochemistry. Immunofluorescence, Immunohistochemistry. Immunocytochemistry/	Concentration	
Preservative 0.05% Sodium Azide   Isotype IgG   Conjugate DyLight 350   Purity Immunogen affinity purified   Buffer 50mM Sodium Borate   Product Description Rabbit   Host Rabbit   Gene ID 245711   Gene Symbol SPDYA   Species Human, Mouse, Rat, Sheep   Reactivity Notes Sheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 19075091).   Immunogen A synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]   Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   Product Application Details Western Blot, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry.   Recommended Dilutions Western Blot, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry.	Storage	Store at 4C in the dark.
Isotype IgG   Conjugate DyLight 350   Purity Immunogen affinity purified   Buffer 50mM Sodium Borate   Product Description Rabbit   Gene ID 245711   Gene Symbol SPDYA   Species Human, Mouse, Rat, Sheep   Reactivity Notes Sheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).   Immunogen A synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]   Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   Product Application Details Western Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry.Paraffin   Recommended Dilutions Western Blot, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry.	Clonality	Polyclonal
ConjugateDyLight 350PurityImmunogen affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID245711Gene SymbolSPDYASpeciesHuman, Mouse, Rat, SheepReactivity NotesSheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 1907565). Human reactivity reported in scientific literature (PMID: 1907501).ImmunogenA synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Immunohistochemistry. Immunocytochemistry/	Preservative	0.05% Sodium Azide
Purity Immunogen affinity purified   Buffer 50mM Sodium Borate   Product Description Rabbit   Host Rabbit   Gene ID 245711   Gene Symbol SPDYA   Species Human, Mouse, Rat, Sheep   Reactivity Notes Sheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).   Immunogen A synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]   Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   Product Application Details Western Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry.Paraffin   Recommended Dilutions Western Blot, Immunohistochemistry. Immunocytochemistry/	Isotype	IgG
Buffer 50mM Sodium Borate   Product Description Rabbit   Host Rabbit   Gene ID 245711   Gene Symbol SPDYA   Species Human, Mouse, Rat, Sheep   Reactivity Notes Sheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).   Immunogen A synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]   Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry. Paraffin   Recommended Dilutions Western Blot, Immunohistochemistry, Immunocytochemistry/	Conjugate	DyLight 350
Product Description Rabbit   Host Rabbit   Gene ID 245711   Gene Symbol SPDYA   Species Human, Mouse, Rat, Sheep   Reactivity Notes Sheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).   Immunogen A synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]   Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry.Paraffin   Recommended Dilutions Western Blot, Immunohistochemistry, Immunocytochemistry/	Purity	Immunogen affinity purified
HostRabbitGene ID245711Gene SymbolSPDYASpeciesHuman, Mouse, Rat, SheepReactivity NotesSheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).ImmunogenA synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunocytochemistry/	Buffer	50mM Sodium Borate
Gene ID245711Gene SymbolSPDYASpeciesHuman, Mouse, Rat, SheepReactivity NotesSheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).ImmunogenA synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application Details ApplicationsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunocytochemistry/	Product Description	
Gene SymbolSPDYASpeciesHuman, Mouse, Rat, SheepReactivity NotesSheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).ImmunogenA synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/	Host	Rabbit
SpeciesHuman, Mouse, Rat, SheepReactivity NotesSheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).ImmunogenA synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry-ParaffinRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/	Gene ID	245711
Reactivity NotesSheep reactivity reported in scientific literature (PMID: 19187565). Human reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).ImmunogenA synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/	Gene Symbol	SPDYA
reactivity reported in scientific literature (PMID: 24037419). Rat reactivity reported in scientific literature (PMID: 19075091).ImmunogenA synthetic peptide made to a C-terminal region of human Speedy/Ringo (within residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry. ParaffinRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/	Species	Human, Mouse, Rat, Sheep
residues 200-286). This immunogen is conserved in both isoforms 1 and 2. [Swiss-Prot Q5MJ69]NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/	Reactivity Notes	reactivity reported in scientific literature (PMID: 24037419). Rat reactivity
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   Product Application Details   Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin   Recommended Dilutions Western Blot, Immunohistochemistry, Immunocytochemistry/	Immunogen	residues 200-286). This immunogen is conserved in both isoforms 1 and 2.
Product Application Details   Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin   Recommended Dilutions Western Blot, Immunohistochemistry, Immunocytochemistry/	Notes	
ApplicationsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/		DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Immunohistochemistry, Immunohistochemistry-Paraffin     Recommended Dilutions   Western Blot, Immunohistochemistry, Immunocytochemistry/	Product Application Details	
	Applications	
	Recommended Dilutions	Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin
Application NotesOptimal dilution of this antibody should be experimentally determined.	Application Notes	Optimal dilution of this antibody should be experimentally determined.





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NB100-2521UV

NBP2-24891UV	Rabbit IgG Isotype Control [DyLight 350]
NB100-2521PEP	Speedy/Ringo Antibody Blocking Peptide
NBP2-04810	Speedy/Ringo Overexpression Lysate
NB500-106	PCNA Antibody (PC10)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-2521UV

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

