## **Product Datasheet**

### Histone H2AX [p Ser139] Antibody [PE] NB100-384PE

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-384PE

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-384PE



#### NB100-384PE

Histone H2AX [p Ser139] Antibody [PE]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugatePEPurityImmunogen affinity purifiedBufferPBSProduct Description1014HostRabbitGene BD3014Gene SymbolHAXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 2710221), Canine reactivity reported in scie	Product Information	
services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugatePEPurityImmunogen affinity purifiedBufferPBSProduct DescriptionRabbitHostRabbitGene ID3014Gene SymbolH2AXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 27102221), Canine reactivity <b< th=""><th>Unit Size</th><th>0.1 ml</th></b<>	Unit Size	0.1 ml
ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugatePEPurityImmunogen affinity purifiedBufferPBSProduct DescriptionHostRabbitGene ID3014Genes SymbolH2AXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenThis Histone H2AX [D Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX.NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6, 362,317 and 6, 884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout VaildatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistoche	Concentration	
Preservative0.05% Sodium AzideIsotypeIgGConjugatePEPurityImmunogen affinity purifiedBufferPBSProduct DescriptionHostRabbitGene ID3014Gene SymbolH2AXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThis epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry/Immunohistochemistr	Storage	Store at 4C in the dark.
IsotypeIgGConjugatePEPurityImmunogen affinity purifiedBufferPBSProduct DescriptionRabbitHostRabbitGene ID3014Gene SymbolH2AXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the usize stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunophistochemistry/Immunofiuorescence, Immunohistochemistry/Immunophistochemistry/Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Froze	Clonality	Polyclonal
ConjugatePEPurityImmunogen affinity purifiedBufferPBSProduct DescriptionRabbitHostRabbitGene ID3014Gene SymbolH2AXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenThis Histone H2AX. [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX. Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the univolution size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunocytochemistry/Immunohistochemistry/Immunohistochemistry/Immunohistochemistry/Immunohistochemistry/Immunohistochemistry.Parafin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Parafin, Immunohistochemistry-Parafin, Immunohistochemistry-Parafin, Immunohistochemistry-Parafin, Immunohistochemistry-Parafin, Immunohistochemistry-Parafin, Immunohistochemistry-Parafin, Immunohistochemistry-Parafin, Immunohistochemistry-Parafin, Immunohistochemistry-Frozen, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Preservative	0.05% Sodium Azide
PurityImmunogen affinity purifiedBufferPBSProduct DescriptionRabbitHostRabbitGene ID3014Gene SymbolH2AXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Frozen, Immunohistochemistry-Frozen, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Isotype	IgG
Buffer   PBS     Product Description   Rabbit     Gene ID   3014     Gene Symbol   H2AX     Species   Human, Mouse, Rat, Canine     Reactivity Notes   Rat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).     Marker   DNA Double-strand break marker     Specificity/Sensitivity   The epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.     Immunogen   This Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GenelD 3014).     Notes   Licensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.     Product Application Details   Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Knockout Validated     Recommended Dilutions   Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry.Prozen, Immunohistochemistry.Prozen, Immunohistochemistry.Froz	Conjugate	PE
Product Description     Host   Rabbit     Gene ID   3014     Gene Symbol   H2AX     Species   Human, Mouse, Rat, Canine     Reactivity Notes   Rat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).     Marker   DNA Double-strand break marker     Specificity/Sensitivity   The epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.     Immunogen   This Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).     Notes   Licensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,848,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.     Product Application Details   Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry/Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout Validated     Recommended Dilutions   Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Purity	Immunogen affinity purified
HostRabbitGene ID3014Gene SymbolH2AXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenThis Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin, Immunohistochemistry-Frozen, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Buffer	PBS
Gene ID3014Gene SymbolH2AXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenThis Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunohytochemistry-Immunohistochemistry-Paraffin, Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Product Description	
Gene SymbolH2AXSpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenThis Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Frozen, Immunohistochemistry, Frozen, Chromatin Immunoprecipitation (ChIP),	Host	Rabbit
SpeciesHuman, Mouse, Rat, CanineReactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenThis Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedWestern Flow Cytometry, Immunohistochemistry, Inmunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Gene ID	3014
Reactivity NotesRat reactivity reported in scientific literature (PMID: 27102221), Canine reactivity reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenThis Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Gene Symbol	H2AX
reported in scientific literature (PMID: 23365434).MarkerDNA Double-strand break markerSpecificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenThis Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunocytochemistry/ Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry/ Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Species	Human, Mouse, Rat, Canine
Specificity/SensitivityThe epitope maps to a region surrounding phosphorylated serine 139 of human histone H2AX.ImmunogenThis Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Reactivity Notes	
ImmunogenThis Histone H2AX.ImmunogenThis Histone H2AX [p Ser139] Antibody was developed against to a region surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Immunocytochemistry/ Immunofiluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry/Immunofiluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Marker	DNA Double-strand break marker
surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot entry P16104] (GeneID 3014).NotesLicensed to Novus Biologicals LLC under U.S. Patent Nos. 6,362,317 and 6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsMestern Blot, Simple Western, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Specificity/Sensitivity	
6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.   Product Application Details   Applications Western Blot, Simple Western, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout Validated   Recommended Dilutions Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Knockout Validated	Immunogen	surrounding phosphorylated serine 139 of human histone H2AX [Swiss-Prot
ApplicationsWestern Blot, Simple Western, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, 	Notes	6,884,873. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the
Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP), Knockout ValidatedRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Product Application Details	
Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Chromatin Immunoprecipitation (ChIP), Knockout Validated	Applications	Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation (ChIP),
Application NotesOptimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Chromatin Immunoprecipitation (ChIP), Knockout
	Application Notes	Optimal dilution of this antibody should be experimentally determined.





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NB100-384PE

NBP2-24983	Rabbit IgG Isotype Control [PE]
NBP1-42464	Recombinant Human Histone H2AX His Protein
DYC2288-2	Histone H2AX [p Ser139] [Biotin]
NB100-304	53BP1 Antibody - BSA Free

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-384PE

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

