

Product Datasheet

Menin Antibody - BSA Free

NB100-399

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-399

Updated 2/21/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-399



NB100-399


Menin Antibody - BSA Free

Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)
Product Description	
Host	Rabbit
Gene ID	4221
Gene Symbol	MEN1
Species	Human
Immunogen	A synthetic peptide, which represented a portion of human Multiple Endocrine Neoplasia 1 encoded within exon 11 (MEN1 LocusLink ID 4221).
Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500-1:5000, Immunoprecipitation 2-10 ug/mg of lysate
Application Notes	This antibody may be used for Western Blot, where a doublet band should be seen at ~72 kDa. Suggested working dilutions: * Western Blot - 1:500-1:5,000 Immunoprecipitation - 2 to 10 ug/mg lysate Immunofluorescence - ND *The investigator should determine the optimal working dilution for a specific application.




Images


Western Blot: Menin Antibody [NB100-399] - Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-Menin antibody (lot was used at 2 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.



Western Blot: Menin Antibody [NB100-399] - A. Whole cell lysate (40 mcg - E; 10 mcg - T) from 293T cells untreated (E) or transfected with a Menin expression construct (T). B. Whole cell lysate from one 10 cm plate of untreated 293T cells. A. Affinity purified rabbit anti-Menin antibody NB100-399 used at the indicated concentrations for WB. B. Affinity purified rabbit anti-Menin antibodies NB100-215 (5 mcg/plate), NB100-398(10 mcg/plate). Immunoprecipitated Menin was detected using NB100-215 at 0.1 mcg/ml.



Western Blot: Menin Antibody [NB100-399] - Samples: Whole cell lysate (50 ug) from HeLa, 293T, and Jurkat cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-Menin antibody used for WB at 2 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-399

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00004221-P02-10ug	Recombinant Human Menin GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-399

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

