Product Datasheet

BMPR-IA/ALK-3 Antibody NB100-41375

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-41375

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-41375



NB100-41375

Gene ID

Species

Gene Symbol

Immunogen

BMPR-IA/ALK-3 Antibody

DIVIT IN TALLY STATISTICS	<u> </u>
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Description	Novus Biologicals Goat BMPR-IA/ALK-3 Antibody (NB100-41375) is a polyclonal antibody validated for use in WB and ELISA. Anti-BMPR-IA/ALK-3 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat

Product Application Details		
Applications	Western Blot, Peptide ELISA	
Recommended Dilutions	Western Blot 1 - 3 ug/ml, Peptide ELISA Detection limit 1:16000	
Application Notes	WB: Approx. 60 kDa band observed in lysates of HeLa and HepG2 (calculated MW of 60.2 kDa band according to NP_004320.2). An additional band of 20 kDa band was consistently observed, however this band was not blocked by the immunizing peptide and it is therefore a non-specific signal. We call for caution when used for other assays than WB.	

according to NP 004320.2.

Peptide with sequence C-KSDSDQKKSEN corresponding to internal region

Western Blot: BMPR-IA/ALK-3 Antibody [NB100-41375] - (1ug/ml) staining of HeLa cell lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence. 250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 15kDa 15kDa 15kDa 15kDa 10kDa

657

BMPR1A

Human

Publications

Keller S, Nickel J, Zhang JL et al. Molecular recognition of BMP-2 and BMP receptor IA. Nat Struct Mol Biol 2004-05-01 [PMID: 15064755]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-41375

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

314-BP-010 BMP-4 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-41375

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



