# **Product Datasheet**

# Glutathione Peroxidase 4/GPX4 Antibody - Isoform a and c NB100-41379

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-41379

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-41379



# NB100-41379


Glutathione Peroxidase 4/GPX4 Antibody - Isoform a and c

Glatatillone i Gloridase 4/Gl /4 / titibody Isolotti a and G	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Host	Goat
Gene ID	2879
Gene Symbol	GPX4
Species	Human
Specificity/Sensitivity	This antibody is expected to recognise isoform A (NP_002076.2) and isoform C (NP_001034937.1).
Immunogen	Peptide with sequence C-EEPLVIEKDLPHY corresponding to C-Terminus according to NP_002076.2, NP_001034937.1.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 0.3 ug/ml, Immunohistochemistry-Paraffin 0.3 ug/ml, Peptide ELISA Detection limit 1:16000
Application Notes	WB: Approx. 19 kDa band observed in human kidney and testis lysates and in HEK293 lysates (calculated MW of 22.1 kDa band according to NP_002076.2). IHC-P: Human testis shows strong staining surrounding the nuclei of spermatocytes and surrounding spermatozoa.




#### **Images**

Western Blot: Glutathione Peroxidase 4 (Isoform a and c) Antibody [NB100-41379] - Analysis of Glutathione Peroxidase 4 (Isoform a and c) in Human Testis lysate using this antibody at 0.1ug/ml.



Immunohistochemistry-Paraffin: Glutathione Peroxidase 4 (Isoform a and c) Antibody [NB100-41379] - IHC analysis of Glutathione Peroxidase 4 (Isoform a and c) in paraffin embedded Human Testis using this antibody at 0.3 ug/ml. Microwaved antigen retrieval with citrate buffer pH 6, HRP-staining.



#### **Publications**

Su D, Novoselov SV, Sun QA et al. Mammalian selenoprotein thioredoxin/glutathione reductase: Roles in disulfide bond formation and sperm maturation. J Biol Chem 2005-05-18 [PMID: 15901730]





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NB100-41379**

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP2-54979PEP Glutathione Peroxidase 4/GPX4 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-41379

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



