Product Datasheet

ANKRD28 Antibody NB100-41419

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-41419

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-41419



NB100-41419

ANKRD28 Antibody

Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA
Target Molecular Weight	113 kDa
Product Description	
Host	Rabbit
Gene ID	23243
Gene Symbol	ANKRD28
Species	Human
Immunogen	The immunogen recognized by this antibody maps to a region between residue 975 and 1025 of human ankyrin repeat domain 28 (phosphatase interactor targeting K protein) using the numbering given in entry NP_056014.2 (GeneID 23243).
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry 1:500-1:2000, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:10- 1:500
Application Notes	Epitope retrieval with Tris-EDTA pH9.0 is recommended for FFPE tissue sections.




Images

Western Blot: ANKRD28 Antibody [NB100-41419] - Whole cell lysate from HeLa cells (5, 15 and 50 mcg for WB; 1 mg for IP, 20 percent of IP loaded) and 293T (T; 50 mcg) cells. NB100-41419 used for WB at 0.02 mug/ml (A) and 1 mug/ml (B) and used for IP at 3 mcg/mg lysate (B). ANKRD28/PITK was also immunoprecipitated by rabbit anti-ANKRD28/PITK antibody NB100-41420, which recognizes a downstream epitope.

Immunohistochemistry: ANKRD28 Antibody [NB100-41419] - Sample: FFPE section of human prostate carcinoma. Antibody: Affinity purified rabbit anti-ANKRD28/PITK used at a dilution of 1:1,000 (0.2ug/ml). Detection: DAB staining using Immunohistochemistry Accessory Kit.

Immunohistochemistry-Paraffin: ANKRD28 Antibody [NB100-41419] - FFPE section of human stomach carcinoma. Antibody used at a dilution of 1:250.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB100-41419

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP2-07201	ANKRD28 Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-41419

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

