## **Product Datasheet**

# Syntenin 1 Antibody NB100-53807

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-53807

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-53807



## NB100-53807

Syntenin 1 Antibody

Syntenin i Antibody	
Product Information	
0.1 mg	
0.5 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
lgG	
Immunogen affinity purified	
Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Product Description	
Goat	
6386	
SDCBP	
Human	
This antibody is expected to recognise isoform 1 (NP_005616.2 and NP_001007068.1) and isoform 3 (NP_001007070.1 and NP_001007071.1) only.	
Peptide with sequence SLEDLKVDKVIQAQ-C corresponding to N-Terminus according to NP_001007068.1, NP_001007069, NP_001007070.1, NP_001007071.1.	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin, Peptide ELISA	
Western Blot 0.01 - 0.03 ug/mL, Immunohistochemistry-Paraffin 10 ug/mL, Peptide ELISA Detection limit 1:128000	
WB: Approx. 28-30 kDa band observed in HEK293 and A431 lysates (calculated MW of 32.4 kDa band according to NP_005616.2 and NP_001007068.1 and of 32.3 kDa band according to NP_001007070.1 and NP_001007071.1).	




### **Images**

Western Blot: Syntenin 1 Antibody [NB100-53807] - Staining of Human HEK293 cell lysate (35 ug protein in RIPA buffer). Antibody at 0.01 ug/mL. Detected by chemiluminescence.

250kDa 150kDa 100kDa 76kDa 50kDa 37kDa 25kDa 20kDa

Immunohistochemistry-Paraffin: Syntenin 1 Antibody [NB100-53807] - Staining of paraffin embedded Human Breast. Antibody at 10 ug/mL. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



#### **Publications**

Latysheva N, Muratov G, Rajesh S et al. Syntenin-1 is a new component of tetraspanin-enriched microdomains: mechanisms and consequences of the interaction of syntenin-1 with CD63. Mol Cell Biol 2006-08-14 [PMID: 16908530]





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NB100-53807**

NB800-PC6 293 Whole Cell Lysate

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-53807

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



