Product Datasheet

FUS Antibody - BSA Free NB100-561

Unit Size: 100 ul

Store at 4C. Do not freeze.



Reviews: 3 Publications: 11

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-561

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-561



NB100-561

FUS Antibody - BSA Free

-				
Product Information				
Unit Size	100 ul			
Concentration	1.0 mg/ml			
Storage	Store at 4C. Do not freeze.			
Clonality	Polyclonal			
Preservative	0.09% Sodium Azide			
Isotype	IgG			
Purity	Immunogen affinity purified			
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)			
Product Description				
Host	Rabbit			
Gene ID	2521			
Gene Symbol	FUS			
Species	Human, Mouse			
Immunogen	A synthetic peptide which maps to a region between residues 400 and 450 of human fusion (involved in t(12;16) in malignant liposarcoma) using the numbering given in SwissProt entry P35637 (GeneID 2521).			
Product Application Details				
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation			
Recommended Dilutions	Western Blot 1:2000 - 1:10000, Immunohistochemistry, Immunoprecipitation 2- 10 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000			
Application Notes	Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections.			

Images

Western Blot: FUS Antibody [NB100-561] - Whole cell lysate (15 ug) from HeLa, HEK293T, Jurkat, mouse TCMK-1, and mouse NIH 3T3 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-FUS antibody used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 seconds.

130-				
70	 _	 _	_	+ FUS
51-				
38-				
28-				
19-				
16-				

www.novusbio.com



	Page 2 of 4 v.20.1 Updated 2/21/2025
Immunohistochemistry-Paraffin: FUS Antibody [NB100-561] - Detection of mouse FUS by immunohistochemistry. Sample: FFPE section of mouse teratoma Antibody: Affinity purified rabbit anti-FUS (NB100-561) used at 1:5,000 (0.2ug/ml). Detection: DAB	
Immunohistochemistry-Paraffin: FUS Antibody [NB100-561] - Section of human ovarian carcinoma. Antibody: Affinity purified rabbit anti-FUS (NB100-561). Detection: DAB	
Immunoprecipitation: FUS Antibody [NB100-561] - FUS immunoprecipitation in human fibroblast cell lysates. Image from verified customer review.	Whole cell IgG IP 280 190 140 140 115 15 80 65 16 50 100 100
Immunoprecipitation: FUS Antibody [NB100-561] - Detection of human FUS by western blot of immunoprecipitates. Samples: Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from HEK293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-FUS antibody NB100-561 used for IP at 3 ug per reaction. FUS was also immunoprecipitated by rabbit anti-FUS recombinant monoclonal antibody [BLR023E] (NBP2-76415) and rabbit anti-FUS antibody NB100-565. For blotting immunoprecipitated FUS, NBP2-76415 was used at 1:1000. Detection: Chemiluminescence with an exposure time time of 3 minutes.	IP/WB 250- 130- 70- 70- 51- 38- 28- 19- 16- + - + - + - + - + - + - + - - + - + - + - + - + - + - + - + - + - + - + - + Ctrl lgG

www.novusbio.com



Publications

VH Ng, BI Hang, LM Sawyer, LR Neitzel, EE Crispi, KL Rose, TM Popay, A Zhong, LA Lee, WP Tansey, S Huppert, E Lee Phosphorylation of XIAP at threonine 180 controls its activity in Wnt signaling J. Cell. Sci., 2018-05-22;0(0):. 2018 -05-22 [PMID: 29678905]

Chiu CF, Lin YQ, Park JM et al. The novel camptothecin derivative, CPT211, induces cell cycle arrest and apoptosis in models of human breast cancer Biomed. Pharmacother. 2020-08-01 [PMID: 32505820]

Li J, Song M, Moh S et al. Cytoplasmic Restriction of Mutated SOD1 Impairs the DNA Repair Process in Spinal Cord Neurons Cells 2019-11-23 [PMID: 31771229] (IF/IHC, Mouse)

Wang IX, Grunseich C, Fox J et al. Human proteins that interact with RNA/DNA hybrids Genome Res. 2018-08-14 [PMID: 30108179] (IP, Human)

Ishigaki S, Masuda A, Fujioka Y et al. Position-dependent FUS-RNA interactions regulate alternative splicing events and transcriptions. Sci Rep 2012-01-01 [PMID: 22829983]

Aoki N, Higashi S, Kawakami I et al. Localization of fused in sarcoma (FUS) protein to the post-synaptic density in the brain. Acta Neuropathol 2012-09-01 [PMID: 22526020]

Necchi D, Lomoio S, Scherini E et al. Dysfunction of the ubiquitin-proteasome system in the cerebellum of aging Ts65Dn mice. Exp Neurol 2011-12-01 [PMID: 21867700]

Bosco DA, Lemay N, Ko HK et al. Mutant FUS proteins that cause amyotrophic lateral sclerosis incorporate into stress granules. Hum Mol Genet 2010-11-01 [PMID: 20699327]

Groen EJ, van Es MA, van Vught PW et al. FUS mutations in familial amyotrophic lateral sclerosis in the Netherlands. Arch Neurol 2010-02-01 [PMID: 20142531]

Goulet I, Boisvenue S, Mokas S et al. TDRD3, a novel Tudor domain-containing protein, localizes to cytoplasmic stress granules. Hum Mol Genet 2008-10-01 [PMID: 18632687]

Hume DA, Sasmono T, Himes SR et al. The Ewing sarcoma protein (EWS) binds directly to the proximal elements of the macrophage-specific promoter of the CSF-1 receptor (csf1r) gene. J Immunol 2008-05-01 [PMID: 18453593]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB100-561

NB800-PC1	HeLa Whole Cell Lysate
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-561

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

