Product Datasheet

FUS Antibody - BSA Free NB100-562

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 8

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-562

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-562



NB100-562


FUS Antibody - BSA Free

1 03 Antibody - BSA 1 ree	
Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)
Product Description	
Host	Rabbit
Gene ID	2521
Gene Symbol	FUS
Species	Human, Mouse
Immunogen	A synthetic peptide which maps to a region between residues 500 and the C-terminus (residue 526) of human fusion (involved in t(12;16) in malignant liposarcoma) using the numbering given in SwissProt entry P35637 (GeneID 2521).
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Knockout Validated
Recommended Dilutions	Western Blot 1:10000-1:50000, Immunohistochemistry 1:1000-1:10000, Immunoprecipitation 2-10 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:10000, Knockout Validated
Application Notes	Prepare working dilution immediately before use. Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections.




Images


Western Blot: FUS Antibody [NB100-562] - Western blot shows lysates of HEK293 human embryonic kidney parental cell line and FUS knockout (KO) HEK293 human embryonic kidney cell line. PVDF membrane was probed with 1:1000 of Rabbit Anti-Human FUS Polyclonal Antibody (Catalog # NB100-562) followed by HRP-conjugated Anti-Rabbit IgG Secondary Antibody (Catalog #HAF008). Specific band was detected for FUS at approximately 75 kDa (as indicated) in the parental HEK293 celll line, but is not detectable in the knockout HEK293 cell line. This experiment was conducted under reducing conditions.




Western Blot: FUS Antibody [NB100-562] - Detection of human FUS by western blot and immunoprecipitation. Samples: Whole cell lysate from HeLa (15 and 50 ug for WB; 1 mg for IP, 20% of IP loaded), HEK293T (T; 50 ug) and Jurkat (J; 50 ug) cells. Antibodies: Affinity purified rabbit anti-FUS antibody NB100-562 (lot NB100-562-2) used for WB at 0.1 ug/ml (A) and 1 ug/ml (B) and used for IP at 6 ug/mg lysate. FUS was also immunoprecipitated by a previous lot (lot NB100-562-1) of this antibody. Detection: Chemiluminescence with exposure times of 3 seconds (A) and 10 seconds (B).



Immunohistochemistry-Paraffin: FUS Antibody [NB100-562] - Section of human breast carcinoma (left) and mouse teratoma (right). Antibody: Affinity purified rabbit anti-FUS used at a dilution of 1:5,000 (0.2ug/ml) and 1:1,000 (1ug/ml). Detection: DAB



Western Blot: FUS Antibody [NB100-562] - Detection of human FUS on HeLa whole cell lysate using NB100-562. For IP in B, rabbit anti-FUS antibodies NB100-560, NB100-561, NB100-562 and NB100-565 were used.



Publications

Beermann ML, Ardelt M, Girgenrath M et al. Prdm1 (Blimp-1) and the expression of fast and slow myosin heavy chain isoforms during avian myogenesis in vitro. PLoS One. 2010-04-01 [PMID: 20376350]

Birsa N, Ule AM, Garone MG et al. FUS-ALS mutants alter FMRP phase separation equilibrium and impair protein translation Science Advances 2021-07-23 [PMID: 34290090] (Immunohistochemistry, Western Blot, Immunocytochemistry/ Immunofluorescence)

Devoy A, Price G, De Giorgio F Et al. Generation and analysis of innovative genomically humanized knockin SOD1, TARDBP (TDP-43), and FUS mouse models iScience 2021-12-01 [PMID: 34988393] (WB, Human)

Guo L, Kim H J et al. Nuclear-Import Receptors Reverse Aberrant Phase Transitions of RNA-Binding Proteins with Prion-like Domains. Cell 2018-04-19 [PMID: 29677512] (ICC/IF, Human)

Moore MJ, Blachere NE, Fak JJ et al. ZFP36 RNA-binding proteins restrain T cell activation and anti-viral immunity. Elife. 2018-05-31 [PMID: 29848443] (WB, Human)

Lashley T, Rohrer JD, Bandopadhyay R et al. A comparative clinical, pathological, biochemical and genetic study of fused in sarcoma proteinopathies. Brain 2011-09-01 [PMID: 21752791] (Human)

Tan AY, Riley TR, Coady T et al. TLS/FUS (translocated in liposarcoma/fused in sarcoma) regulates target gene transcription via single-stranded DNA response elements. Proc Natl Acad Sci U S A 2012-04-01 [PMID: 22460799]

Tan AY, Manley JL. TLS inhibits RNA polymerase III transcription. Mol Cell Biol 2010-01-01 [PMID: 19841068]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-562

NB800-PC1 HeLa Whole Cell Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-562

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

