Product Datasheet

EZH1 Antibody - BSA Free NB100-56358

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-56358

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-56358



NB100-56358


EZH1 Antibody - BSA Free

EZH1 ANtibody - BSA Free	
Product Information	
0.1 mg	
1 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.05% Sodium Azide	
IgG	
Protein G purified	
PBS	
85.3 kDa	
Product Description	
Novus Biologicals Rabbit EZH1 Antibody - BSA Free (NB100-56358) is a polyclonal antibody validated for use in WB. Anti-EZH1 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Rabbit	
2145	
EZH1	
Human, Mouse	
Immunogen sequence similarity with rat and dog (86%).	
A portion of amino acids 350-400 of human EZH1 was used as the immunogen.	
Product Application Details	
Western Blot	
Western Blot 2 - 4 ug/mL	
The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.	







Western Blot: EZH1 Antibody [NB100-56358] - WB detection of EZH1 protein in (A) Ramos cells lysate, (B) Daudi cells lysate and (C) Peptide blocked - Daudi cells lysate by using EZH1 antibody at a concentration of 2 ug/mL.



Western Blot: EZH1 Antibody [NB100-56358] - Detection of EZH1 in mouse (lane 1) and human (lane 2) spleen lysate using this antibody at 2 ug/mL.



Western Blot: EZH1 Antibody [NB100-56358] - 15 ug of HeLa nuclear extract on PVDF membrane. Image from verified customer.



Publications

Duan S, Chan WK, Oman A et al. NF-kappa B/NKILA signaling modulates the anti-cancerous effects of EZH2 inhibition J. Cell. Mol. Med. 2019-07-07 [PMID: 31282094] (WB, Human)

Grimaldi G, Christian M, Steel JH et al. Down-regulation of the histone methyltransferase EZH2 contributes to the epigenetic programming of decidualizing human endometrial stromal cells. Mol Endocrinol. 2011-11-01 [PMID: 21903722] (WB)

Details:

EZH1 (IMG-389). WB: total protein lysates of HESC. FIG 3.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-56358

NB820-59259 Human Spleen Whole Tissue Lysate (Adult Whole Normal)

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56358

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

