Product Datasheet

Androgen R/NR3C4 [p Ser210] Antibody (156C135.2) [Alexa Fluor® 488] NB100-56603AF488

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-56603AF488

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-56603AF488



NB100-56603AF488

Androgen R/NR3C4 [p Ser210] Antibody (156C135.2) [Alexa Fluor® 488]

acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor,	Androgen Taration p dereated variables (1990-199.2) [viexa i labile 490]	
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 156C135.2 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate Alexa Fluor 488 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antiblody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al., 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Product Information	
Storage Store at 4C in the dark. Clonality Monoclonal Clone 156C135.2 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate Alexa Fluor 488 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 ((GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Unit Size	0.1 ml
Clone 156C135.2 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate Alexa Fluor 488 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al., 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (IGRAREAS"GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Concentration	' ·
Clone 156C135.2 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate Alexa Fluor 488 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Storage	Store at 4C in the dark.
Preservative Isotype IgG1 Kappa Conjugate Alexa Fluor 488 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al., 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Clonality	Monoclonal
Isotype IgG1 Kappa Conjugate Alexa Fluor 488 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Clone	156C135.2
Conjugate Alexa Fluor 488 Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al., 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen Immunogen This antibody was developed against a synthetic peptide corresponding to aminor acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Preservative	0.05% Sodium Azide
Purity Protein G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Isotype	IgG1 Kappa
Buffer 50mM Sodium Borate	Conjugate	Alexa Fluor 488
Product Description Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Purity	Protein G purified
Host Mouse Gene ID 367 Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Buffer	50mM Sodium Borate
Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Product Description	
Gene Symbol AR Species Human, Mouse, Rat, Canine, Primate Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Host	Mouse
Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Gene ID	367
Reactivity Notes Predicted cross-reactivity with Chimpanzee, Canine, Mouse, Porcine and Rat. Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Gene Symbol	AR
Mouse reactivity reported in scientific literature (PMID: 21464326). Specificity/Sensitivity In IGF-1 stimulated LNCaP cells (passage number 38), a ~110 kDa band was observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Species	Human, Mouse, Rat, Canine, Primate
observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No. A39248, which was used to design the immunogen. Immunogen This antibody was developed against a synthetic peptide corresponding to amino acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Reactivity Notes	
acids 207-221 (GRAREAS*GAPTSSKD) of human androgen receptor, containing the serine 213 phosphorylation site: GenBank Accession No. A39248.	Specificity/Sensitivity	observed. Please see Lin et al. 2003 for additional details. The serine phosphorylation site recognized by this antibody has been alternatively referred to Ser213 (Lee and Chang, 2003) and Ser210 (Lin et al, 2003). Variations in denotation can arise from how the sequence is counted in various GenBank accession numbers. The site is denoted as Ser213 in GenBank Accession No.
	Immunogen	containing the serine 213 phosphorylation site: GenBank Accession No. A39248.



Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-56603AF488

IC002G Mouse IgG1 Isotype Control (11711) [Alexa Fluor® 488]

NB100-56603AF647 Androgen R/NR3C4 [p Ser210] Antibody (156C135.2) [Alexa Fluor®

647]

H00000367-Q01-10ug Recombinant Human Androgen R/NR3C4 GST (N-Term) Protein

236-EG-200 EGF [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56603AF488

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

