Product Datasheet

RECQ1 Antibody NB100-618

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-618

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-618



NB100-618


RECQ1 Antibody

· · · · · · · · · · · · · · · · · · ·	
Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA
Product Description	
Host	Rabbit
Gene ID	5965
Gene Symbol	RECQL
Species	Human, Mouse
Immunogen	The immunogen recognized by this antibody maps to a region between residues 1 and 50 of human RecQ protein-like (DNA helicase Q1-like) 1 using the numbering given in Swiss-Prot entry P46063 (GeneID 5965).
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation (Negative)
Recommended Dilutions	Western Blot 1:1000 - 1:10000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:100- 1:500, Immunoprecipitation (Negative)
Application Notes	Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections.




Images

Western Blot: RECQ1 Antibody [NB100-618] - Detection of human and mouse RecQ1 by Western blot using NB100-618 and human RecQ1 by immunoprecipitation. RecQ1 was successfully immunoprecipitated by NB100-619.



Immunohistochemistry-Paraffin: RECQ1 Antibody [NB100-618] - Human skin basal cell carcinoma. Antibody: Affinity purified rabbit anti-RecQ1 used at a dilution of 1:200 (1ug/ml). detection: DAB



Publications

Palumbieri MD, Merigliano C, González-Acosta D et al. Nuclear actin polymerization rapidly mediates replication fork remodeling upon stress by limiting PrimPol activity Nature communications 2023-11-28 [PMID: 38016948]

Palumbieri MD, Merigliano C, Acosta DG et al. Replication fork plasticity upon replication stress requires rapid nuclear actin polymerization bioRxiv: the preprint server for biology 2023-03-25 [PMID: 36993227] (WB, Human)

Chappidi N, Nascakova Z, Boleslavska B et al. Fork Cleavage-Religation Cycle and Active Transcription Mediate Replication Restart after Fork Stalling at Co-transcriptional R-Loops Mol. Cell 2019-11-13 [PMID: 31759821]

Zellweger R, Dalcher D, Mutreja K et al. Rad51-mediated replication fork reversal is a global response to genotoxic treatments in human cells J. Cell Biol. 2015-03-02 [PMID: 25733714] (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-618

NBL1-15264 RECQ1 Overexpression Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-618

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

