

Product Datasheet

Paramyxovirus SV5 Pk Antibody (SV5-Pk1) - BSA Free NB100-62264

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 30

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-62264

Updated 2/21/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-62264



NB100-62264


Paramyxovirus SV5 Pk Antibody (SV5-Pk1) - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	SV5-Pk1
Preservative	0.09% Sodium Azide
Isotype	IgG2a
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Mouse
Species	Viral
Reactivity Notes	Epitope tag. Non-species specific. Mouse reactivity reported in scientific literature (PMID: 27681617).
Specificity/Sensitivity	This product recognises a small epitope, termed Pk, present on the P/V proteins of the paramyxovirus, SV5. NB100-62264 has been used to detect recombinant proteins, some of which include transmembrane and secreted proteins, which have been tagged with this epitope. Usually, a 14 amino acid tag has been added to the recombinant proteins, although a smaller epitope of 9 amino acids (that as a peptide inhibit the binding of the monoclonal antibody to its native protein) has also been successfully used. The 14 amino acid epitope is; gly lys pro (ile pro asn pro leu leu gly leu asp) ser thr. (9 amino acid epitope is in parenthesis)
Immunogen	Paramyxovirus Simian-Virus 5 (SV5)
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation, Radioimmunoassay, Sandwich ELISA
Recommended Dilutions	Western Blot 1:1000-1:5000, Flow Cytometry 1:10-1:1000, ELISA 1:1000-1:5000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10-1:500, Immunoprecipitation 1:10-1:500, Radioimmunoassay 1:100-1:2000, Immunohistochemistry-Frozen 1:10-1:500, Radioimmunoassay 1:100-1:2000, Sandwich ELISA




Images

Western Blot: Paramyxovirus SV5 Pk Antibody (SV5-Pk1) [NB100-62264] - Analysis using the Biotin conjugate of NB100-62264. Detection of V5 tagged protein with Mouse anti V5-tag.



Sandwich ELISA: Paramyxovirus SV5 Pk Antibody (SV5-Pk1) [NB100-62264] - V5 tagged protein detected with Mouse anti V5-Tag.



Publications

Schunck RVA, Macedo IC, Laste G et al. Standardized *Passiflora incarnata* L. Extract Reverts the Analgesia Induced by Alcohol Withdrawal in Rats *Phytother Res* 2017-10-03 [PMID: 28568647]

Fu J, Zhu J, Du F et al. Prognostic Inflammatory Index Based on Preoperative Peripheral Blood for Predicting the Prognosis of Colorectal Cancer Patients *Cancers* 2020-12-22 [PMID: 33374924]

Gebbia V, Aiello MM, Banna G et al. Metronomic oral vinorelbine in patients with advanced non-small cell lung cancer progressing after nivolumab immunotherapy: a retrospective analysis *ecancermedicalsecience* 2020-09-29 [PMID: 33144881]

Muntean M, Briciu V, Lupse M et al. Effects of COVID-19 on the Liver and Mortality in Patients with SARS-CoV-2 Pneumonia Caused by Delta and Non-Delta Variants: An Analysis in a Single Centre *Pharmaceuticals* 2023-12-19 [PMID: 38275989]

Wang M, Mei Y, Ryde U. Predicting Relative Binding Affinity Using Nonequilibrium QM/MM Simulations. *Journal of chemical theory and computation* 2019-04-22 [PMID: 30362750]

da Silva JNL, Ranzi AD, Carvalho CT et al. Cell Cycle Markers in the Evaluation of Bladder Cancer. *Pathology oncology research : POR* 2020-12-11 [PMID: 29524168]

Rao D, Ferguson R, Sikora M. WNT4 and WNT3A activate cell autonomous Wnt signaling independent of secretion *J Biol Chem* 2019-11-20 [PMID: 31740580]

Yang C, Danielson EW, Qiao T et al. Mutant PFN1 causes ALS phenotypes and progressive motor neuron degeneration in mice by a gain of toxicity. *Proc. Natl. Acad. Sci. U.S.A.* 2016-10-11 [PMID: 27681617] (ICC/IF, IF/IHC, Mouse)

Walter D, Hoffmann S, Komseli ES et al. SCF(Cyclin F)-dependent degradation of CDC6 suppresses DNA re-replication. *Nat Commun.* 2016-01-28 [PMID: 26818844] (ICC/IF, WB)

Ghosh S, Wu MD, Shafteel SS et al. Sustained interleukin-1beta overexpression exacerbates tau pathology despite reduced amyloid burden in an Alzheimer's mouse model. *J Neurosci* 2013-03-13 [PMID: 23486975] (ICC/IF, IHC-Fr)

Patino, GA et al. Voltage-Gated Na⁺ Channel β 1B: A Secreted Cell Adhesion Molecule Involved in Human Epilepsy. *J Neurosci* 31: 14577-91. 2011-01-01 [PMID: 21994374]

Gallazzini, M et al. High NaCl-induced activation of CDK5 increases phosphorylation of the osmoprotective transcription factor TonEBP/OREBP at threonine 135, which contributes to its rapid nuclear localization. *Mol Biol Cell* 22: 703-14. 2011-01-01 [PMID: 21209322]

More publications at <http://www.novusbio.com/NB100-62264>





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-62264

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96778	Mouse IgG2a Isotype Control (M2A)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-62264

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

