# **Product Datasheet**

# CD8 Antibody (12.C7) - BSA Free NB100-64021

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



### Reviews: 2 Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-64021

Updated 2/21/2025 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-64021



## NB100-64021

CD8 Antibody (12.C7) - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	12.C7
Preservative	0.09% Sodium Azide
Isotype	lgG1
Purity	Protein A purified
Buffer	PBS
Target Molecular Weight	26 kDa
Product Description	
Host	Mouse
Gene ID	925
Gene Symbol	CD8A
Species	Rabbit
Specificity/Sensitivity	CD8 Antibody (12.C7) recognizes the rabbit CD8 cell surface antigen, expressed by a subset of T lymphocytes with cytotoxic/suppressor activity.
Immunogen	CD8 Antibody (12.C7) was developed against Rabbit CD8
Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Flow Cytometry 1:100-1:200, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500, Immunohistochemistry- Paraffin 1:10-1:500
Application Notes	Succerssful use in ICC/IF, IHC reported in scientific literature (PMID: 22796166).



CD3+CD4

B.

CD3+CD8

#### Images


Immunohistochemistry: CD8 Antibody (12.C7) [NB100-64021] scAAV8G9-optHLA-G Combo Prevents Cornea Burn-induced Vascularization and Cytotoxic T-cell Infiltration. Rabbit cornea sections were acquired 60 days following the injection of indicated vectors into burn corneas and stained for an endothelial cell marker (CD31), T cell markers, transgene abundance, and a-SMA in the indicated treatment groups. Scale bars=5um. Image collected and cropped by CiteAb from the following publication (nature.com/articles/s41598-017-18002-9), licensed under a CC-BY license.


Immunohistochemistry-Paraffin: CD8 Antibody (12.C7) [NB100-64021] -Human bile duct cancer tissue. IHC-P image submitted by a verified customer review.


Flow Cytometry: CD8 alpha Antibody (12.C7) [NB100-64021] - Rabbit peripheral blood lymphocytes stained with Mouse anti Rabbit CD8 Alpha followed by Goat anti Mouse IgG (H/L):FITC

scAAV8G9-optHLA-G Combo Prevents Cornea Burn-induced Vascularization and Cytotoxic T-cell Infiltration. Rabbit cornea sections were acquired 60 days following the injection of indicated vectors into burn corneas and stained for an endothelial cell marker (CD31), T cell markers, transgene abundance, and  $\alpha$ SMA in the indicated treatment groups. Scale bars = (A) 10 µm, (B) 5 µm, (C) 20 µm, (D) 200 µm.









#### **Publications**

Gilger BC, Hasegawa T, Sutton RB et Al. A chimeric anti-vascularization immunomodulator prevents high-risk corneal transplantation rejection via ex vivo gene therapy Mol Ther 2024-11-07 [PMID: 39245940]

Lv P, Chen H, Cheng H et al. A Calcium Alginate Hydrogel Microsphere Based Transcatheter Arterial Viroembolization Strategy for Hepatocellular Carcinoma Advanced Therapeutics 2023-01-02 (FLOW)

Kolloli A, Kumar R, Singh P et al. Aggregation state of Mycobacterium tuberculosis impacts host immunity and augments pulmonary disease pathology Commun Biol 2021-11-03 [PMID: 34732811] (ICC/IF, Rabbit)

Lin CY, Lin KJ, Li KC et al. Lin CY, Lin KJ, Li KC et al. Immune responses during healing of massive segmental femoral bone defects mediated by hybrid baculovirus-engineered ASCs [PMID: 22796166] (IF/IHC, Rabbit)

#### Details:

Rabbit femoral sections underwent immunohistochemical analysis with antibodies, including NB100-64021, to investigate the efficacy of recombinant Baculovirus vectors for gene therapy of diseased or damaged bone.

Tsenova L, Fallows D, Kolloli A et Al. Inoculum size and traits of the infecting clinical strain define the protection level against Mycobacterium tuberculosis infection in a rabbit model Eur J Immunol. [PMID: 32130727] (ICC/IF, Rabbit)

Hirsch ML, Conatser LM, Smith SM et al. AAV vector-meditated expression of HLA-G reduces injury-induced corneal vascularization, immune cell infiltration, and fibrosis. Sci Rep 2017-12-19 [PMID: 29259248] (IHC-P, Rabbit)





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

## **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

# **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

# **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

# Products Related to NB100-64021

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NB100-64021AF488	CD8 Antibody (12.C7) [Alexa Fluor® 488]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-64021

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

