Product Datasheet

CD25/IL-2R alpha Antibody (OX-39) - BSA Free NB100-64761

Unit Size: 0.25 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-64761

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-64761



NB100-64761

CD25/IL-2R alpha Antibody (OX-39) - BSA Free


CD25/IL-2R alpha Antibody (JX-39) - BOA FIEE
Product Information	
Unit Size	0.25 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OX-39
Preservative	0.09% Sodium Azide
Isotype	lgG1
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	3559
Gene Symbol	IL2RA
Species	Rat
Specificity/Sensitivity	NB100-64761 recognizes the alpha chain of rat CD25, otherwise known as IL-2 receptor alpha, a 55kDa type I membrane glycoprotein, expressed by activated T cells but not resting lymphocytes. CD25 is also expressed by dendritic cells found in the thymus medulla. *This clone has been described reacting with paraffin-embedded material following PLP fixation (periodate-lysine-paraformaldehyde) ^(6). Clone OX-39 has been shown to weakly inhibit the binding of IL-2 to Con-A stimulated spleen blasts.
Immunogen	Stimulated Rat T cells
Product Application Details	3
Applications	ELISA, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Flow Cytometry 1:10-1:1000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-

Product Application Details	
Applications	ELISA, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Flow Cytometry 1:10-1:1000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunoprecipitation 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500, Immunohistochemistry-Frozen 1:10-1:500




Images


Immunocytochemistry/Immunofluorescence: CD25/IL-2 R alpha Antibody (OX-39) [NB100-64761] - Rat lymph node cryosection with Mouse anti Rat CD25 antibody, red in A and Mouse anti Rat CD8, green in B. C is the merged image with nuclei counterstained blue using DAPI. Low power




Immunohistochemistry-Paraffin: CD25/IL-2 R alpha Antibody (OX-39) [NB100-64761] - Rat lymph node cryosection with Mouse anti Rat CD25 followed by horseradish peroxidase conjugated Goat anti Mouse IgG1 as a detection reagent. Medium power



Flow Cytometry: CD25/IL-2 R alpha Antibody (OX-39) [NB100-64761] - Staining of Con A activated rat spleen cells with Mouse anti Rat CD25: Biotin



Immunocytochemistry/Immunofluorescence: CD25/IL-2 R alpha Antibody (OX-39) [NB100-64761] - Rat lymph node cryosection with Mouse anti Rat CD25 antibody, red in A and Mouse anti Rat CD8, green in B. C is the merged image with nuclei counterstained blue using DAPI. High power



Publications

Crook K, Hunt SV. Enrichment of early fetal-liver hemopoietic stem cells of the rat using monoclonal antibodies against the transferrin receptor, Thy-1, and MRC-OX82. Dev Immunol. [PMID: 8924759] (FLOW, Rat)

Kampinga J, Schuurman HJ, Pol GH et al. Vascular thymus transplantation in rats. Technique, morphology, and function. Transplantation. 1990-10-01 [PMID: 2219290]

Bouchot O, Anegon I, Romaniuk A et al. Interleukin 2 receptor in rat heart allograft rejection. Transplantation. 1989-12 -01 [PMID: 2595779]

Lazo PA, Klein-Szanto AJ, Tsichlis PN. T-cell lymphoma lines derived from rat thymomas induced by Moloney murine leukemia virus: phenotypic diversity and its implications. J Virol. [PMID: 2196385] (IHC-Fr, FLOW, Rat)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-64761

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NB100-64761APC CD25/IL-2R alpha Antibody (OX-39) [Allophycocyanin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-64761

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

