Product Datasheet

Connexin 43/GJA1 [p Ser368] Antibody - Azide Free NB100-722

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-722

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-722



NB100-722


Connexin 43/GJA1 [p Ser368] Antibody - Azide Free

Connexin 43/GJA1 [p Ser368] Antibody - Azide Free	
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	10mM HEPES (pH 7.5), 0.15M NaCl, 0.1 mg/ml BSA and 50% Glycerol
Target Molecular Weight	43 kDa
Product Description	
Host	Rabbit
Gene ID	2697
Gene Symbol	GJA1
Species	Mouse, Rat
Marker	Gap Junctions Marker
Specificity/Sensitivity	Specific for endogenous levels of the ~43 kDa Connexin 43/GJA1 protein phosphorylated at Ser368. Immunolabeling is completely eliminated by treatment with lambda-phosphatase.
Immunogen	Synthetic phospho-peptide corresponding to amino acid residues surrounding Ser368 conjugated to KLH. Accession # P08050
Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:1000

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:1000
Application Notes	This antibody has been tested in Western blot on rat brain hippocampal lysate, detecting a band ~43 kDa.

Images

Western Blot: Connexin 43/GJA1 [p Ser368] Antibody [NB100-722] - rat hippocampal lysate showing specific immunolabeling of the ~43k connexin43 phosphorylated at Ser368 (Control). The phosphospecificity of this labeling is shown in the second lane (lambda-phosphatase). The blot is identical to the control except that it was incubated (1200 units for 30 min) before being exposed to the phospho-Ser368 connexin43 antibody. The immunolabeling of connexin43 is completely eliminated by treatment.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-722

NBL1-11086 Connexin 43/GJA1 Overexpression Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-722

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

