

Product Datasheet

ZBTB7A/Pokemon Antibody

NB100-762

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-762

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-762



NB100-762**ZBTB7A/Pokemon Antibody**


Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA

Product Description	
Host	Rabbit
Gene ID	51341
Gene Symbol	ZBTB7A
Species	Human
Immunogen	The immunogen recognized by this antibody maps to a region between residue 525 and the C-terminus (residue 584) of human ZBTB7 (Factor Binding IST protein 1) using the numbering given in entry NP_056982.1 (GeneID 51341).


Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry 1:100 - 1:500, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:100-1:500
Application Notes	Epitope retrieval with Tris-EDTA pH 9.0 is recommended for FFPE tissue sections.

Images

Western Blot: ZBTB7A/Pokemon Antibody [NB100-762] - Detection of Human ZBTB7(FBI-1) on HeLa whole cell lysate using NB100-762. ZBTB7(FBI-1) was also immunoprecipitated using rabbit antibodies NB100-761 and another ZBTB7(FBI-1) Ab.



Immunohistochemistry-Paraffin: ZBTB7A/Pokemon Antibody [NB100-762] - Section of human colon carcinoma. Antibody: Affinity purified rabbit anti- ZBTB7/FBI-1 used at a dilution of 1:200 (1ug/ml). Detection: DAB



Publications

Du H. ZBTB24, a gene associated with human immunodeficiency- centromere instability-facial anomalies (ICF) syndrome, regulates centromeric and pericentromeric heterochromatin formation. Thesis. 2016-04-08 (WB, Human)

Sebestyen A, Sticz TB, Mark A et al. Activity and complexes of mTOR in diffuse large B-cell lymphomas--a tissue microarray study. Mod Pathol 2012-12-01 [PMID: 22899290]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-762

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00051341-P01-10ug	Recombinant Human ZBTB7A/Pokemon GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-762

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

